Project name: / Project type: /

AJ FLOOR

The floor lamp emits downward directed light. The angle of the shade can be adjusted to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.





Arne Jacobsen

Arne Jacobsen was born and raised in Copenhagen. In 1927, he graduated as an architect from the Royal Danish Academy of Fine Arts in Copenhagen. After graduating, he obtained his first job at the office of the City Architect of Copenhagen launching his own office only two years later.



Carl Hansen & Son Showroom



Sparekassen Vendsyssel

Product info

Information

The white version is supplied with a white cable. The other versions are supplied with a black cable.

Mounting

Cable type: Plastic cord with plug. Cable length: 2.4m. Light control: On/Off switch on cord.

Finish

White, Black, Pale Petroleum, Warm Sand, Soft Lemon, Electric Orange, Dusty Blue, Warm Grey, 湿漆。经过抛光 加理的不銹鋼

Materials

Shade: Spun steel or stainless steel. Base: Die cast zinc or stainless steel. Stem: Steel or stainless steel.

Class

Ingress protection IP20. Electric shock protection II.

Light source

1x20W E27
br />Max. diameter: 55 mm

Information

The white version is supplied with a white cable. The other versions are supplied with a black cable.

Related products









AJ Mini Table AJ Royal

AJ Garden Bollard



AJ Oxford Table Lamp

0000

AJ Floor

Product variants

Colour	Cable type	Light source
Aubergine	Blk pl	1x20W E27
● Black	Wht pl	
Dark green		
Dark grey		
Dusty blue		
Electric orange		
Light grey		
Midnight blue		
Pale petroleum		
Rusty red		
Soft lemon		
Stainless steel polished		
Warm grey		
Warm sand		
○ White		
Yellow ochre		

Product description

Terse and iconic design
A semi-conical fixture head.
An arm fixed to a round mounting box holds the fixture head.
Fixture head pivots to direct light as needed.
Different colour variants.
Is a member of a product family for both outdoor and indoor

Mounting

Portable fixture plugs into standard wall outlet.

Light description

The fixture emits glare free, directed light.

Combined direct and indirect light ensures directed light with soft shadows

The shade is painted white on the inside to ensure a soft comfortable light distribution.

Design

Ame Jacobsen

Material

Fixture head and wall box: spun steel, 1. 5mm (0. 06") thick, wet painted. Arm: extruded steel, 1. 5mm (0. 06") thick, wet painted. Base: cast zinc plated steel, 1. 5mm (0. 06") thick. Switch: on/off, phenolic, on cord.

Socket: Porcelain, medium base for A-19, frosted envelope lamps.


Weight

Min: 3.329 kg Max: 3.542 kg

Finish

Aubergine, Black, Dark green, Dark green, Dusty blue, Electric orange, Light grey, Midnight blue, Pale petroleum, Rusty red, Soft lemon, Stainless steel polished, Warm grey, Warm sand, White, Yellow ochre

Light distribution diagrams



Spare parts & accessories

Product	Variant number
Foot switch On/Off black	5717000000
Foot switch On/Off white	5717000013