

## CARAPACE PENDANT (CHAIN)

### FINISH

bronze with satin brass details, shiny opal glass shade and bronze oval chain/black silk braided flex

### DIMENSIONS (body of fixture)

ø 320 x 140 mm (dia x h)

### WEIGHT

5kg (11lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 215 mm

supplied with 1000mm flex and chain as standard (adjustable on site)

### ILLUMINATION

220-240v - 1 x G9 - 25w max halogen (or 2.3w LED 2700k)

110-130v - 1 x G9 - 25w max halogen (or 2.3w LED 2700k)

### DIMMING

dimmable bulb required

trailing edge dimmable / phase cut (rotary dimmer) - standard

DALI option available (220-240v only)


### CEILING ROSE / PLATE

round ceiling rose - ø 116 x 25 mm (dia x h)

### CERTIFICATION



### VIEW ON WEBSITE



\*Diagrams are not to scale.

## CARAPACE PENDANT (CHAIN) - DALI-A

### FINISH

bronze with satin brass details, shiny opal glass shade and bronze oval chain/black silk braided flex

### DIMENSIONS (body of fixture)

ø 320 x 140 mm (dia x h)

### WEIGHT

6kg (13.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 215 mm

supplied with 1000mm flex and chain as standard (adjustable on site)

### ILLUMINATION

220-240v - 1 x G9 - 25w max halogen (or 2.3w LED 2700k)

DALI converter to be installed in the ceiling rose

### DIMMING

dimmable bulb required

DALI compatible


### CEILING ROSE / PLATE

round ceiling rose - ø 116 x 25 mm (dia x h)

### CERTIFICATION



### VIEW ON WEBSITE



\*Diagrams are not to scale.

## CARAPACE PENDANT (CHAIN)

### CARAPACE PENDANT (CHAIN)

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
CARPEOBZOG-CN-240	bronze with satin brass details, shiny opal glass shade and bronze oval chain/black silk braided flex	220 - 240V
CARPEOBZOG-CN-110	bronze with satin brass details, shiny opal glass shade and bronze oval chain/black silk braided flex	110 - 130V

### CARAPACE PENDANT (CHAIN) - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CARPEOBZOG-CN-DALIA-240	bronze with satin brass details, shiny opal glass shade and bronze oval chain/black silk braided flex	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose	220 - 240V