


Chilone Floor 45 Anthracite gray

Ernesto Gismondi



IP65   EAC 



LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240V**
- Delivered lumen output: **350lm**
- CCT: **3000K**
- Efficiency: **48%**
- Efficacy: **43.69lm/W**
- CRI: **80**

Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

FEATURES

- Product Code: **T082220**
- Colour: **Anthracite gray**
- Installation: **BollardFloor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **175 mm**
- Width: **168 mm**
- Height: **450 mm**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**

Chilone Floor 45 Gray/white

Ernesto Gismondi



IP65   EAC 



LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240V**
- Delivered lumen output: **350lm**
- CCT: **3000K**
- Efficiency: **48%**
- Efficacy: **43.69lm/W**
- CRI: **80**

Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

FEATURES

- Product Code: **T082200**
- Colour: **Gray/white**
- Installation: **BollardFloor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **175 mm**
- Width: **168 mm**
- Height: **450 mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**

Chilone Floor 45 Rust


Ernesto Gismondi

DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.



IP65   EAC 



LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240V**
- Delivered lumen output: **350lm**
- CCT: **3000K**
- Efficiency: **48%**
- Efficacy: **43.69lm/W**
- CRI: **80**

Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

FEATURES

- Product Code: **T082210**
- Colour: **Rust**
- Installation: **BollardFloor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS


- Length: **175 mm**
- Width: **168 mm**
- Height: **450 mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**

Chilone Up Floor Anthracite gray

Ernesto Gismondi



LUMINAIRE

- Watt: **14W**
- Voltage: **220V-240V**
- Delivered lumen output: **865lm**
- CCT: **3000K**
- Efficiency: **66%**
- Efficacy: **61.81lm/W**
- CRI: **80**

Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

FEATURES

- Product Code: **T082320**
- Colour: **Anthracite gray**
- Installation: **BollardFloor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **160 mm**
- Width: **168 mm**
- Height: **490 mm**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **16W**
- Color temperature (K): **3000K**
- Color Tolerance: **MacAdam 2SDCM**
- Service Life: **L70 (6K) 50000h**

Chilone Up Floor Gray/white

Ernesto Gismondi



IP65   EAC 



LUMINAIRE

- Watt: **14W**
- Voltage: **220V-240V**
- Delivered lumen output: **865lm**
- CCT: **3000K**
- Efficiency: **66%**
- Efficacy: **61.81lm/W**
- CRI: **80**

Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

FEATURES

- Product Code: **T082300**
- Colour: **Gray/white**
- Installation: **BollardFloor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **160 mm**
- Width: **168 mm**
- Height: **490 mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **16W**
- Color temperature (K): **3000K**
- Color Tolerance: **MacAdam 2SDCM**
- Service Life: **L70 (6K) 50000h**

Chilone Up Floor Rust


Ernesto Gismondi

DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.



IP65   EAC 



LUMINAIRE

- Watt: **14W**
- Voltage: **220V-240V**
- Delivered lumen output: **865lm**
- CCT: **3000K**
- Efficiency: **66%**
- Efficacy: **61.81lm/W**
- CRI: **80**

Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

FEATURES

- Product Code: **T082310**
- Colour: **Rust**
- Installation: **PoleFloor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **160 mm**
- Width: **168 mm**
- Height: **490 mm**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **16W**
- Color temperature (K): **3000K**
- Color Tolerance: **MacAdam 2SDCM**
- Service Life: **L70 (6K) 50000h**

Chilone Floor 90 Anthracite gray

Ernesto Gismondi



IP65   EAC 



LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240V**
- Delivered lumen output: **350lm**
- CCT: **3000K**
- Efficiency: **48%**
- Efficacy: **43.69lm/W**
- CRI: **80**

Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

FEATURES

- Product Code: **T082120**
- Colour: **Anthracite gray**
- Installation: **BollardFloor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **175 mm**
- Width: **168 mm**
- Height: **900 mm**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**

Chilone Floor 90 Gray/white

Ernesto Gismondi



IP65   EAC 



LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240V**
- Delivered lumen output: **350lm**
- CCT: **3000K**
- Efficiency: **48%**
- Efficacy: **43.69lm/W**
- CRI: **80**

Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

FEATURES

- Product Code: **T082100**
- Colour: **Gray/white**
- Installation: **BollardFloor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS


- Length: **175 mm**
- Width: **168 mm**
- Height: **900 mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**

Chilone Floor 90 Rust

Ernesto Gismondi



LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240V**
- Delivered lumen output: **350lm**
- CCT: **3000K**
- Efficiency: **48%**
- Efficacy: **43.69lm/W**
- CRI: **80**

Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

FEATURES

- Product Code: **T082110**
- Colour: **Rust**
- Installation: **BollardFloor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **175 mm**
- Width: **168 mm**
- Height: **900 mm**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**

Chilone Pole 250 Anthracite gray

Ernesto Gismondi



IP65   EAC 



LUMINAIRE

- Watt: **14W**
- Voltage: **220V-240V**
- Delivered lumen output: **628lm**
- CCT: **3000K**
- Efficiency: **48%**
- Efficacy: **44.85lm/W**
- CRI: **80**

Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

FEATURES

- Product Code: **T082020**
- Colour: **Anthracite gray**
- Installation: **PoleFloor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **210 mm**
- Width: **168 mm**
- Height: **2500 mm**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **16W**
- Color temperature (K): **3000K**
- Color Tolerance: **MacAdam 2SDCM**
- Service Life: **L70 (6K) 50000h**

Chilone Pole 250 Gray/white

Ernesto Gismondi



IP65   EAC 



LUMINAIRE

- Watt: **14W**
- Voltage: **220V-240V**
- Delivered lumen output: **628lm**
- CCT: **3000K**
- Efficiency: **48%**
- Efficacy: **44.85lm/W**
- CRI: **80**

Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

FEATURES

- Product Code: **T082000**
- Colour: **Gray/white**
- Installation: **PoleFloor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **210 mm**
- Width: **168 mm**
- Height: **2500 mm**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **16W**
- Color temperature (K): **3000K**
- Color Tolerance: **MacAdam 2SDCM**
- Service Life: **L70 (6K) 50000h**

Chilone Pole 250 Rust

Ernesto Gismondi



IP65   EAC 



LUMINAIRE

- Watt: **14W**
- Voltage: **220V-240V**
- Delivered lumen output: **628lm**
- CCT: **3000K**
- Efficiency: **48%**
- Efficacy: **44.85lm/W**
- CRI: **80**

Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

FEATURES

- Product Code: **T082010**
- Colour: **Rust**
- Installation: **PoleFloor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **210 mm**
- Width: **168 mm**
- Height: **2500 mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **16W**
- Color temperature (K): **3000K**
- Color Tolerance: **MacAdam 2SDCM**
- Service Life: **L70 (6K) 50000h**