COPPER PENDANT ROUND 25CM LED



Copper is created by exploding a thin layer of pure metal onto the surface of a polycarbonate shade. This technologically advanced process of vacuum metallisation gives Copper an instantly recognisable and highly režective surface with a warm metallic glow. Round and oval shades are created in the trademark mirrored copper, allowing clusters to be formed.

Year of Design 2015 Product Weight 1.03kg

Finishing Process Metallised, Plated
Surface Mount Shape/Diameter Dome, 11.5cm

Power Method Mains

Cable Spec H03VV-F 2 x 0,75 mm2

Cable Type/LengthClear, 250cmLight Source6W LEDMax Wattage9WLumens800CRI>90Colour Temperature3000K

Dimmability Mains Dimmable, Leading & Trailing Edge

Voltage 220-240V Environment Indoor

Spares LEDRING01Y, LEDDRIVER01EU

Certification/Electrical Class Certiÿed for NZ/AUS











COPPER

Code COS01CO-PEUM2
Shade Code COS01CO
Shade Material Polycarbonate
Shade Colour/Finish Copper, Mirrored
Fitting Code LEDP07COEU

Fitting Material Steel
Fitting Colour/Finish Copper, Polished

Service Offer Quick Ship



COPPER PENDANT ROUND 45CM LED



Copper is created by exploding a thin layer of pure metal onto the surface of a polycarbonate shade. This technologically advanced process of vacuum metallisation gives Copper an instantly recognisable and highly reŽective surface with a warm metallic glow. Round and oval shades are created in the trademark mirrored copper, allowing clusters to be formed.

Year of Design 2015 Product Weight 2.84kg

Finishing Process Metallised, Plated
Surface Mount Shape/Diameter Dome, 11.5cm

Power Method Main

Cable Spec H03VV-F 2 x 0,75 mm2

Dimmability Mains Dimmable, Leading & Trailing Edge

Voltage 220-240V Environment Indoor

Spares LEDRING01Y, LEDDRIVER01EU
Certification/Electrical Class Certiÿed for NZ/AUS













COPPER

CodeCOS02CO-PEUM2Shade CodeCOS02COShade MaterialPolycarbonateShade Colour/FinishCopper, MirroredFitting CodeLEDP08COEUFitting MaterialSteel

Fitting Colour/Finish Copper, Polished

Service Offer Quick Ship



COPPER PENDANT WIDE LED



Copper is created by exploding a thin layer of pure metal onto the surface of a polycarbonate shade. This technologically advanced process of vacuum metallisation gives Copper an instantly recognisable and highly reflective surface with a warm metallic glow. Round and oval shades are created in the trademark mirrored copper, allowing clusters to be formed.

Year of Design 2015 Product Weight 2.34kg

Finishing Process Metallised, Plated Surface Mount Shape/Diameter Dome, 11.5cm

Power Method Mains

Cable Spec H03VV-F 2 x 0,75 mm2

Cable Type/LengthClear, 250cmLight Source6W LEDMax Wattage9WLumens800CRI>90Colour Temperature3000K

Dimmability Mains Dimmable, Leading & Trailing Edge

Voltage 220-240V Environment Indoor

Spares LEDRING01Y, LEDDRIVER01EU
Certification/Electrical Class Certified for NZ/AUS











COPPER

Code COS03CO-PEUM2
Shade Code COS03CO
Shade Material Polycarbonate
Shade Colour/Finish Copper, Mirrored
Fitting Code LEDP08COEU
Fitting Material Steel

Fitting Colour/Finish Copper, Polished

Service Offer Quick Ship

