

# DATASHEET

Type: **MONA LARGE**  
Name: Pendant light  
ID: PC938  
Designed by: Lucie Koldová



Download

## Description

The collection is a showcase of original design and refined combinations of materials, such as glass, metal, and leather. It features a tubular LED light source with a range of colour temperatures to choose from.



## Tech. description


The light comprises a glass shade, leather suspension straps, and tubular LED module with triplex opal glass diffusor. The LED module uses a Brokis connector. The entire assembly is secured with dural endcaps. The light is hung from a ceiling canopy, which also houses the electronics and terminal connectors.

Colours options: [https://brokis.sharepoint.com/:b:/s/brokis\\_sp/EbmMtnaedzJBmi-Fufqte1wBNh9CrxVjlucwTyqw11AJWg](https://brokis.sharepoint.com/:b:/s/brokis_sp/EbmMtnaedzJBmi-Fufqte1wBNh9CrxVjlucwTyqw11AJWg)

## CONSTRUCTION SPECIFICATION

**Weight:** 9 kg  
**Construction material:** glass, metal, leather  
**Cord length [mm]:** 2,200 mm  
**Mounting:** Ceiling  
**Environment:** Indoor

## DIMENSIONS [mm]



## ELECTRICAL SPECIFICATION

**Input voltage [V]:** 100 - 240 V  
**Frequency [Hz]:** 50-60 Hz  
**Max. power [W]:** 13 W  
**Coverage IP:** 20  
**Socket:** non-user replaceable LED module  
**Light source:** -  
**Energy class:** E

## CERTIFICATIONS



BROKIS S.R.O.  
ŠPANILOVA 1315/25  
163 00 PRAHA 6 - ŘEPY  
CZECH REPUBLIC

ORG ID 64940799  
VAT ID CZ64940799  
C 42174 MĚSTSKÝ SOUD  
V PRAZE

TEL +420 567 211 517  
TECHNICAL@BROKIS.CZ  
INFO@BROKIS.CZ  
WWW.BROKIS.CZ

2022\_07  
PAGE 1

# DATASHEET

## RECOMMENDED BULBS



Download



**CP12079**

<b>Type</b>	LED module
<b>Lamp wattage [W]</b>	13 W
<b>Input voltage [V]</b>	24 VDC
<b>Energy class</b>	E
<b>Flux [lm]</b>	552 lm
<b>Light colour [K]</b>	2700 K
<b>CRI</b>	90+
<b>Lifespan [h]</b>	20000h
<b>Dimmable</b>	yes (PWM)



**CP12085**

<b>Type</b>	LED module
<b>Lamp wattage [W]</b>	13 W
<b>Input voltage [V]</b>	24 VDC
<b>Energy class</b>	E
<b>Flux [lm]</b>	610 lm
<b>Light colour [K]</b>	4000 K
<b>CRI</b>	90+
<b>Lifespan [h]</b>	20000h
<b>Dimmable</b>	yes (PWM)




**CP12088**

<b>Type</b>	LED module
<b>Lamp wattage [W]</b>	13 W
<b>Input voltage [V]</b>	24 VDC
<b>Energy class</b>	E
<b>Flux [lm]</b>	654 lm
<b>Light colour [K]</b>	5000 K
<b>CRI</b>	90+
<b>Lifespan [h]</b>	20000h
<b>Dimmable</b>	yes (PWM)




### INNER FIXTURE

Dimensions O x w [mm] 280 x 50 mm  
Weight [kg] 1.6 kg  
Material metal



### Drawing



### Hole placement

