


# FLOS

■ F012H00C030 Black

## IC Ceiling Wall 1 Outdoor Black NEW


Designed by Michael Anastassiades



Light source excluded. Optional LED bulb sold separately. Wall mounting system contains the wiring system. Watertight cable gland included.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



### Main specifications

Mounting	Ceiling and wall surface
Environments	Outdoor wet location
Lamp category	LED retrofit
Ilcos	No

### Physical

Colour	Black
Trim	No
Orientation	Fixed
Net weight (kg)	2.2
IP internal	65

### Download

[Mounting instructions](#) ZIP

### Photometric Files


[LDT / IES](#) ZIP

### Technical Drawings


[2D](#) ZIP

[3D](#) ZIP

[Bim](#) ZIP



### Schematic light drawing



## Photometric

Lighting type	Direct
Light distribution	Symmetric

## Electrical

Insulation class	I
Frequency (Hz)	50-60
Main voltage (Vac)	220-240
Dimmable	Yes
Emergency type	No

## Notes

Bulb not included. LED: max 8W - E14

---

## Bulbs



NOT INCLUDED

RF32290

LED Lamp E14 8W 2700K T28

# FLOS

■ F012J00C030 Black

## IC Ceiling Wall 2 Outdoor Black NEW


Designed by Michael Anastassiades



Light source excluded. Optional LED bulb sold separately. Wall mounting system contains the wiring system. Watertight cable gland included.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



### Main specifications

Mounting	Ceiling and wall surface
Environments	Outdoor wet location
Lamp category	LED retrofit
Ilcos	No

### Physical

Colour	Black
Trim	No
Orientation	Fixed
Net weight (kg)	3.8
IP internal	65

### Download

[Mounting instructions](#) ZIP

### Photometric Files


[LDT / IES](#) ZIP

### Technical Drawings


[2D](#) ZIP

[3D](#) ZIP

[Bim](#) ZIP



### Schematic light drawing



## Photometric

Lighting type	Direct
Light distribution	Symmetric

## Electrical

Insulation class	I
Frequency (Hz)	50-60
Main voltage (Vac)	220-240
Dimmable	Yes
Emergency type	No

## Notes

Bulb not included. LED: max 15W - E27

---

## Bulbs



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38



NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38