


7490

Design By Meike Harde

Due to its large size, the Knit floor lamp takes centre stage, drawing people towards it by attracting their gazes, while its fabric shade has a welcoming tactile quality. The ring in its upper part makes it easily portable.

Model Sheet



Finish  24 Beige M1
NCS S 2005-Y50R

LED temperature color 2700 K

Dimming Push / CASAMBI

Installation type Plug-in


Materials Fabric Shade: Flame-retardant polyester
Diffuser ring and support: ABS
Diffuser: Methacrylate

Light source 6 x LED 5,9W 1050mA



LED CRI>90 4740 lm 133.9
2700 K

Driver Constant Voltage 1050
100~240 V V 50~60 Hz HZ



Application Floor Lamps

Packaging 1 Box
0.55 m x 0.55 m x 0.65 m
Gross weight 5.4
Net weight 3.3
Vol. 0.1966

Lighting effect

General Lighting


Lamp for general lighting that equally distributes the light in all directions.



Photometric Data

Efficiency 50.38 lm/W
Coordinate System CG
Total Flux 1286.57 lm
Maximum Value 125.33 cd

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970


customer.service@vibia.com
vibia.com

7492

Design By Meike Harde

Due to its large size, the Knit floor lamp takes centre stage, drawing people towards it by attracting their gazes, while its fabric shade has a welcoming tactile quality. The ring in its upper part makes it easily portable.

Model Sheet



Finish 24 Beige M1
NCS S 2005-Y50R

LED temperature color 2700 K

Dimming CASAMBI

Installation type Plug-in

Materials Fabric Shade: Flame-retardant polyester
Diffuser ring and support: ABS
Diffuser: Methacrylate

Light source 6 x LED 5,9W 1050mA



LED CRI>90 4740 lm 133.9
2700 K

Driver Constant Voltage 1050
100~240 V V 50~60 Hz HZ

Dimmable **LED**

IP20 **Bi-volt** **50-60Hz**

Application Floor Lamps

Packaging 1 Box
0.593 m x 0.785 m x 0.785 m
Gross weight 7.3
Net weight 4.5
Vol. 0.3654

Lighting effect

General Lighting


Lamp for general lighting that equally distributes the light in all directions.



Photometric Data

Efficiency 50.38 lm/W
Coordinate System CG
Total Flux 1286.57 lm
Maximum Value 125.33 cd

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970


customer.service@vibia.com
vibia.com

7494

Design By Meike Harde

Due to its large size, the Knit floor lamp takes centre stage, drawing people towards it by attracting their gazes, while its fabric shade has a welcoming tactile quality. The ring in its upper part makes it easily portable.

Model Sheet



Finish  24 Beige M1
NCS S 2005-Y50R

LED temperature color 2700 K

Dimming CASAMBI / Push

Installation type Plug-in


Materials Fabric Shade: Flame-retardant polyester
Diffuser ring and support: ABS
Diffuser: Methacrylate

Light source 6 x LED 5,9W 1050mA



LED CRI>90 4740 lm 133.9
2700 K

Driver Constant Voltage 1050
100~240 V V 50~60 Hz HZ



Application Floor Lamps

Packaging 1 Box
0.8 m x 0.8 m x 0.75 m
Gross weight 9,3
Net weight 5,9
Vol. 0.48

Lighting effect

General Lighting


Lamp for general lighting that equally distributes the light in all directions.



Photometric Data

Efficiency 50.38 lm/W
Coordinate System CG
Total Flux 1286.57 lm
Maximum Value 125.33 cd

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com