

# Lolita suspended

NIKA ZUPANC




"Who is afraid of pink? My imagination chases female archetypes intentionally. Frivolous, even naive objects are my favorite victims. And when, during such a process, I manage to be creative in an evidently reserved way, I then touch the purest meaning of my work and frivolity becomes timeless elegance."

## *Detailing*



The Lolita conveys a mood of understated elegance with an unmistakable hint of playfulness.


## *Colours*



London Rose



Pink



White

# Lolita suspended

## Dimensions

37cm | 14.6"



40cm | 15.7"

## Product

**WIDTH** 37cm | 14.6"

**HEIGHT** 40cm | 15.7"

**DEPTH** 37cm | 14.6"

**DIAMETER** 37cm | 14.6"

**WEIGHT NETTO** 1.4kg | 3.09lbs

## Packaging

**WIDTH** 46cm | 18.1"

**HEIGHT** 58cm | 22.8"

**CUBAGE** 0.12m<sup>3</sup> | 4.33ft<sup>3</sup>

**LENGTH** 46cm | 18.1"

**WEIGHT** 3.3kg | 7.28lbs

## Technical CCC

### MATERIAL

ABS shade, polyurethane base

### ENERGY LABEL

A++ to E

### LIGHTSOURCE TYPE

Incandescent

### SHAPE

Bell

### FREQUENCY

50/60

### LAMPHOLDER

E27

### CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

### LIGHT DIRECTION

All directions

### INSTALLATION REQUIRED

Yes

### NUMBER OF LIGHTSOURCES

1

### INPUT VOLTAGE

220-240V

### MAX POWER CONSUMPTION

20W

### CABLE COLOUR

Transparent with tinned cores

### CANOPY

Steel pebble in matching colour

### DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

*See last page for more information about the dimming possibilities.*

## Technical CE

### MATERIAL

ABS shade, polyurethane base

**ENERGY LABEL**

A++ to E

**LIGHTSOURCE TYPE**

Incandescent

**SHAPE**

Bell

**FREQUENCY**

50/60

**LAMPHOLDER**

E27

**CABLE LENGTH**

400cm | 157.5"; 1000cm | 393.7"

**LIGHT DIRECTION**

All directions

**INSTALLATION REQUIRED**

Yes

**NUMBER OF LIGHTSOURCES**

1

**INPUT VOLTAGE**

220-240V

**MAX POWER CONSUMPTION**

20W

**CABLE COLOUR**

Transparent with tinned cores

**CANOPY**

Steel pebble in matching colour

**DIMMING & LIGHTING CONTROL**

Mains dimmable with compatible light source

*See last page for more information about the dimming possibilities.*



---

*Technical UL***MATERIAL**

ABS shade, polyurethane base

**ENERGY LABEL**

A++ to E

**LIGHTSOURCE TYPE**

Incandescent

**SHAPE**

Bell

**FREQUENCY**

50/60

**LAMPHOLDER**

E26

**CABLE LENGTH**

400cm | 157.5"

**LIGHT DIRECTION**

All directions

**INSTALLATION REQUIRED**

Yes

**NUMBER OF LIGHTSOURCES**

1

**INPUT VOLTAGE**

110-130V

**MAX POWER CONSUMPTION**

25W

**CABLE COLOUR**

Black

**CANOPY**

Chrome Canopy

**DIMMING & LIGHTING CONTROL**

Mains dimmable with compatible light source

*See last page for more information about the dimming possibilities.*



## *Dimming & Lighting Control*

*Mains dimmable with compatible light source*

Compatible models: Lolita suspended CE, Lolita suspended UL

---