

Aura

Joan Gaspar

marset

Aura Joan Gaspar

The Aura wall light evolves. The new version retains its original design while incorporating technical improvements that make installation easier. It now features TRIAC dimming and 3CCT technology, allowing you to select between three colour temperatures during installation: 2200K, 2700K or 3000K. The Aura collection is available in two sizes, with diameters of 18 and 25 cm, offering lighting solutions for both compact spaces and larger environments.






Aura

Code	Finish
A676-300-50-3CCT	○ Transparent
A676-300-51-3CCT	○ Opal
A676-300-53-3CCT	● Transparent smoked

Materials
Shade: Blown glass
Structure: Polycarbonate
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)



Dimmable

Product type: Wall / Ceiling
Light source 22K: LED SMD 350mA 6,5W 2200K CRI90 1034lm
Luminaire 22K: 220 - 240 VAC TRIAC 8,6W 235lm

Light source 27K: LED SMD 350mA 6,5W 2700K CRI90 1347lm
Luminaire 27K: 220 - 240 VAC TRIAC 8,6W 322lm

Light source 30K: LED SMD 350mA 6,5W 3000K CRI90 1439lm
Luminaire 30K: 220 - 240 VAC TRIAC 8,6W 332lm

Weight: Net 0,51 kg – Gross 1,18 kg
Package: 51,5 x 29 x 36,5cm – 1,18 kg Vol – 0,055 m^3
Product notes: Structure in black, except for the opal version, with structure in white. LED included. It features an integrated switch that allows the desired colour temperature to be selected during installation.


Wire installation: Hardwired

Aura Plus

Code	Finish
A676-301-50-3CCT	○ Transparent
A676-301-51-3CCT	● Opal
A676-301-53-3CCT	● Transparent smoked

Materials
Shade: Blown glass
Structure: Polycarbonate
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)



Dimmable

Product type: Wall / Ceiling
Light source 22K: LED SMD 350mA 6,5W 2200K CRI90 1034lm
Luminaire 22K: 220 - 240 VAC TRIAC 8,7W 242lm

Light source 27K: LED SMD 350mA 6,5W 2700K CRI90 1347lm
Luminaire 27K: 220 - 240 VAC TRIAC 8,7W 332lm

Light source 30K: LED SMD 350mA 6,5W 3000K CRI90 1439lm
Luminaire 30K: 220 - 240 VAC TRIAC 8,7W 342lm

Weight: Net 0,72 kg – Gross 1,85 kg
Package: 37,5 x 34 x 42,5cm – 1,85 kg Vol – 0,055 m^3
Product notes: Structure in black, except for the opal version, with structure in white. LED included. It features an integrated switch that allows the desired colour temperature to be selected during installation.


Wire installation: Hardwired

Aura 24V

Code	Finish
A676-034-50-27K	○ Transparent
A676-034-51-27K	● Opal
A676-034-53-27K	● Transparent smoked
A676-034-55-27K	● Copper
A676-034-56-27K	● Violet

Materials
Shade: Blown glass
Structure: Polycarbonate
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.



Dimmable

Product type: Wall
Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm
Luminaire: (Power supply not included) 442lm

Weight: Net 0,5 kg – Gross 0,8 kg
Package: 26 x 26 x 20 cm - 0,8 kg – VOL - 0,013 m^3
Product notes: Structure in black, except for the opal version, with structure in white. LED included

Wire installation: Hardwired

Product notes: 3000K available upon request.


Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-369	35W - 24V	DALI-2	II
968-370	60W - 24V	DALI-2	II

Dimmable

Aura Plus 24V

Code	Finish
A676-035-50-27K	○ Transparent
A676-035-51-27K	○ Opal
A676-035-53-27K	● Transparent smoked
A676-035-55-27	● Copper



Dimmable

Materials
Shade: Blown glass
Structure: Polycarbonate
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Wall
Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm
Luminaire: (Power supply not included) 473lm

Weight: Net 0,9 kg – Gross 1,5 kg
Package: 33 x 22 x 21 cm - 1,5 kg – VOL - 0,015 m^3
Product notes: Structure in black, except for the opal version, with structure in white.
LED included

Wire installation: Hardwired

Product notes: 3000K available upon request.


Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-369	35W - 24V	DALI-2	II
968-370	60W - 24V	DALI-2	II

Dimmable

Disk Accessory

Code	Finish
A676-036-39	● Black
A676-036-35	○ White



Materials
Structure: Metal

Product type: Accessory
Product notes: Accessory used to hide the driver behind the canopy.



info@marset.com
www.marset.com