


PEAK DOWN, 2023

Powder Coated White.

KK C E

OVERALL DIMENSIONS



MATERIALS AND FINISHES



BULB SPECIFICATIONS

Integrated LED 20W 1200lm / 2700k

PRODUCT SPECIFICATIONS

Input voltage: 120V / 240V dimmable triac or dali Maximum wattage: 20W Product weight: 2kg

CLEANING INSTRUCTIONS

Before cleaning, lighting fixtures must be turned off and unplugged from mains electricity. Whilst cleaning please take care and use the gloves provided.

White Powder Coated: Use a lightly damp soft dust cloth and gently go over marks until clean. Dry it afterwards with a soft dust cloth.



TWIN PEAK DOWN, 2023


Powder Coated White.

KK C E

OVERALL DIMENSIONS



MATERIALS AND FINISHES



BULB SPECIFICATIONS

Integrated LED 40W 1855lm / 2700k

PRODUCT SPECIFICATIONS

Input voltage: 120V / 240V dimmable triac or dali Maximum wattage: 40W Product weight: 4kg

CLEANING INSTRUCTIONS

Before cleaning, lighting fixtures must be turned off and unplugged from mains electricity. Whilst cleaning please take care and use the gloves provided.

White Powder Coated: Use a lightly damp soft dust cloth and gently go over marks until clean. Dry it afterwards with a soft dust cloth.




TRIPLE PEAK DOWN, 2023

Powder Coated White.

K CE

OVERALL DIMENSIONS



MATERIALS AND FINISHES



BULB SPECIFICATIONS

Integrated LED 60W 2510lm / 2700k

PRODUCT SPECIFICATIONS

Input voltage: 120V / 240V dimmable triac or dali Maximum wattage: 60W Product weight: 6kg

CLEANING INSTRUCTIONS

Before cleaning, lighting fixtures must be turned off and unplugged from mains electricity. Whilst cleaning please take care and use the gloves provided.

White Powder Coated: Use a lightly damp soft dust cloth and gently go over marks until clean. Dry it afterwards with a soft dust cloth.