

# MELT CONE SLIM FLOOR LED




Melt is evocative of molten glass, the interior of a melting glacier or images of deep space. An imperfect, organic and naturalistic light that produces a mesmerizing hot-blown glass effect. Melt is created through a process of blow moulding and vacuum metallisation to achieve melted orbs with abundant and unusual luminosity. Here the orb elegantly rests on a slim base.

SILVER	
Code	MES01CH-FEU02M2
Shade Code	MES01CH
Shade Material	Polycarbonate
Shade Colour/Finish	Silver, Mirrored
Base Code	CONF02BKEU
Base Material	Carbon Fibre, Steel
Base Colour/Finish	Black, Gloss
Service Offer	Collection

GOLD	
Code	MES01GO-FEU02M2
Shade Code	MES01G
Shade Material	Polycarbonate
Shade Colour/Finish	Gold, Mirrored
Base Code	CONF02BKEU
Base Material	Carbon Fibre, Steel
Base Colour/Finish	Black, Gloss
Service Offer	Collection

Year of Design	2019
Product Weight	5.20kg
Finishing Process	Semi-Metallised, Powder Coated
Power Method	Mains
Cable Spec	H03VVH2-F 2 x 0,75 mm <sup>2</sup>
Cable Type/Length	Black Fabric, 250cm
Light Source	6W LED
Max Wattage	9W
Lumens	800
CRI	>90
Colour Temperature	3000K
Dimmability	Non-Dimmable
Voltage	220-240V
Environment	Indoor
Spares	LEDRING01Y, LEDDRIVER01EU
Certification/Electrical Class	Certiýed for NZ/AUS




# MELT CONE SLIM FLOOR LED



Melt is evocative of molten glass, the interior of a melting glacier or images of deep space. An imperfect, organic and naturalistic light that produces a mesmerizing hot-blown glass effect. Melt is created through a process of blow moulding and vacuum metallisation to achieve melted orbs with abundant and unusual luminosity. Here the orb elegantly rests on a slim base.

<b>Year of Design</b>	2019
<b>Product Weight</b>	5.20kg
<b>Finishing Process</b>	Semi-Metallised, Powder Coated
<b>Power Method</b>	Mains
<b>Cable Spec</b>	H03VVH2-F 2 x 0,75 mm <sup>2</sup>
<b>Cable Type/Length</b>	Black Fabric, 250cm
<b>Light Source</b>	6W LED
<b>Max Wattage</b>	9W
<b>Lumens</b>	800
<b>CRI</b>	>90
<b>Colour Temperature</b>	3000K
<b>Dimmability</b>	Non-Dimmable
<b>Voltage</b>	220-240V
<b>Environment</b>	Indoor
<b>Spares</b>	LEDRING01Y, LEDDRIVER01EU
<b>Certification/Electrical Class</b>	Certified for NZ/AUS



<b>COPPER</b>	
<b>Code</b>	MES01CO-FEU02M2
<b>Shade Code</b>	MES01CO
<b>Shade Material</b>	Polycarbonate
<b>Shade Colour/Finish</b>	Copper, Mirrored
<b>Base Code</b>	CONF02BKEU
<b>Base Material</b>	Carbon Fibre, Steel
<b>Base Colour/Finish</b>	Black, Gloss
<b>Service Offer</b>	Collection

<b>SMOKE</b>	
<b>Code</b>	MES01SM-FEU02M2
<b>Shade Code</b>	MES01SM
<b>Shade Material</b>	Polycarbonate
<b>Shade Colour/Finish</b>	Smoke, Mirrored
<b>Base Code</b>	CONF02BKEU
<b>Base Material</b>	Carbon Fibre, Steel
<b>Base Colour/Finish</b>	Black, Gloss
<b>Service Offer</b>	Collection

# MELT CONE SLIM FLOOR LED



OFF



ON

Melt is evocative of molten glass, the interior of a melting glacier or images of deep space. An imperfect, organic and naturalistic light that produces a mesmerizing hot-blown glass effect. An elegant and skinny typography with a cone base provides stability to a range of metallic polycarbonate shades, as well as a new tinted white opalescent finish.

<b>OPAL</b>	
<b>Code</b>	MES01OP-FUN04M1
<b>Shade Code</b>	MES01OP
<b>Shade Material</b>	Polycarbonate
<b>Shade Colour/Finish</b>	Opalescent, tinted
<b>Base Code</b>	CONF04BKUN
	LEDFC01UN
<b>Base Material</b>	Carbon Fibre, Steel
<b>Base Colour/Finish</b>	Black, Gloss
<b>Service Offer</b>	New

<b>Year of Design</b>	2019
<b>Product Weight</b>	6.45kg
<b>Finishing Process</b>	Tinted, Roll Wrapped
<b>Power Method</b>	Mains
<b>Cable Spec</b>	UL E348531 2x0,75mm <sup>2</sup> , 300V, 80°C
<b>Cable Type Length</b>	Black Fabric, 250cm
<b>Light Source</b>	6W LED
<b>Max Wattage</b>	7.5W
<b>Lumens</b>	800
<b>CRI</b>	>90
<b>Colour Temperature</b>	3000K (Standard) 2700K accessory available
<b>Dimmability</b>	Inline Dimmable
<b>Voltage</b>	100-240V
<b>Environment</b>	Indoor
<b>Spares</b>	LEDRING02A, LEDFC01UN
<b>Certification/Electrical Class</b>	Certified for NZ/AUS

