APPLIQUE À VOLET PIVOTANT PLIÉ

Charlotte Perriand

Wall lamps designed in 1962 by Charlotte Perriand for her mountain chalet in Méribel in the French Alps. Aluminum adjustable volet and metal structure. Indirect light output towards the wall and orientable flood beam.





E14 LED/HALO/FLUO

LAMPING

Source	E14
Total power	2x MAX 8W
Emission	direct/indirect orientable
Switching	dimmable according to bulb
Tension	230V
IP class	20
Dimensions	26x34x8cm
Materials	aluminium
Notes	Bulb Ø3cm max. White body | Only for vertical installation, white RAL 9003, red RAL 3002, yellow RAL 1033, blue RAL 5002
Net lamp weight	1,25 kg

Codes	*Structure/Diffuser*
AVP EWD 32	white/natural anodized
AVP EWN 32	white/black anodized
AVP EWR 32	white/red
AVP EWG 32	white/yellow
AVP EWB 32	white/blue
AVP EWW 32	white/white
AVP EWC 32	white/pastel blue
AVP EWV 32	white/sage green
AVP E2D 32	white/light grey
AVP E2G 32	white/gold anodized

PACKAGE

Package 01	Dimension: 23x37x10 cm / Gross weight: 1,75 kg

Certificazioni





R7S (75MM)

LAMPING

Source	R7s (75mm)
Total power	2x MAX 80W
Emission	direct/indirect orientable
Switching	dimmable according to bulb
Tension	230V
IP class	20
Dimensions	26x34x8cm
Materials	aluminium
Notes	White body | Only for vertical installation
Net lamp weight	1,35 kg

Codes	*Structure/Diffuser*
AVP HWD 32	white/natural anodized
AVP HWN 32	white/black anodized
AVP H2G 32	white/gold anodized

PACKAGE

Package 01	Dimension: 25x36x14 cm / Gross weight: 1,85 kg

Certificazioni

0,2 m



LED IP54

LAMPING

Source	LED board
Total power	20W
Emission	direct/indirect orientable
Switching	dimmable TRIAC
Tension	230V
Color temperature	3000K
Luminous flux	1500lm
Typ CRI	85
IP class	54
Dimensions	26x34x8,5cm
Materials	aluminium
Notes	white body, white RAL 9003, red RAL 3002, yellow RAL 1033, blue RAL 5002 | Only for vertical installation

Codes	*Structure/Diffuser*
AVP LWN 35	white/black anodized
AVP LWD 35	white/natural anodized
AVP LWW 35	white/white
AVP LWR 35	white/red
AVP LWG 35	white/yellow
AVP LWB 35	white /blue
AVP LWC 35	white/pastel blue
AVP LWV 35	white/sage green
AVP L2D 35	white/light grey
AVP L2G 35	white/gold anodized

Certificazioni

