

NJP Wall

The fixture provides direct glare-free horizontal light while reflecting some of the light through the rear of the head, illuminating the top of the arm. The ergonomic design of the fixture head shapes the light and gives optimal light direction. A simple mechanical system provides great freedom of movement, so the light can always be set in the ideal position in the workspace. The shade is painted white on the inside, reflecting comfortable diffused light.



nendo

In 2002 Oki Sato founded nendo design studio. nendo means 'clay' in Japanese – or more specifically, modelling clay such as plasticine. A unique material that makes it easy to do creative modelling.



Set location -
The Qvest



Wohnidee suits in Radisson Blu Hotel

Product info

Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

Driver fitted externally on cord. The light has two built-in intensities. The weight includes the wall bracket. Wall mounting depends on selected arm length. The innovation of the LED technology is constant. The specifications mentioned are based on present technology.

Mounting

Cord type: Black or white. Cord length: 3,3m (short arm), 2,3m (Long arm). Switch: On the fixture head. Timer function: 4 hours or 8 hours. LED driver: separate, plugs into power outlet. The light has two built-in intensities.

Finish

White, black, light alu grey or dark alu grey, powder coated.

Materials

Arms and lamp head: Aluminium. Joints: Anodised Aluminium. Wall bracket: Aluminium.

Sizes and weights

Width x Height x Length (mm) | 150 x 600 x 600 Max 1.5 kg | 150 x 200 x 300 Max 0.8 kg

Class

Ingress protection IP20. Electric shock protection II w/o ground.


Light source

LED 2700K 10W

Lumen: 529

Information

Driver fitted externally on cord. The light has two built-in intensities. The weight includes the wall bracket. Wall mounting depends on selected arm length. The innovation of the LED technology is constant. The specifications mentioned are based on present technology.



Product family



NJP Floor



NJP Mini



NJP Wall Box



NJP Table

Product variants

Colour	Mounting	Cable type	Light source	Lumen
● Black	Long arm	Blk pl	LED 2700K 10W	529
● Dark aluminium grey	Short arm	Wht pl	LED 3000K 10W	550
● Light aluminium grey				
○ White				

Design

nendo

Weight


Min: 0.778 kg Max: 1.531 kg

Finish


Black, Dark aluminium grey, Light aluminium grey, White

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product

- NJP WALL BRACKET LONG BLK
- NJP WALL BRACKET LONG WHT
- NJP WALL BRACKET LONG DARK GREY
- NJP WALL BRACKET LONG LIGHT GREY
- Adaptor 12V black
- Adaptor 12V white
- NJP bushing plast

Variant number

- 5743163160
- 5743163173
- 5743163351
- 5743163364
- 5744164867
- 5744164870
- 5744165183