Nautilus, *Design by* Andrea Tosetto

### Model Nautilus Spot

Strong design and leading-edge technology come together in this family of lamps characterised by a convex lens that projects the LED light wherever its needed or most preferred, for a truly efficient and personalised result. Versatile and dynamic, either on the *wall* or *ceiling* in a variety of versions and finishes, *Nautilus* lamps satisfy a full range of lighting needs, whether functional or purely decorative, in both residential and professional contexts.



| Nautilus Spot                  | Light source  | Structure: Metal    | Code 2700 K                              | Code 3000 K |  |
|--------------------------------|---|---------------------|--|-------------|--|
| Ø 13.4 cm<br>Ø 5.27"           | LED<br>2700 K   | Matte White – 9010  | 16560 1027                               | 16560 1030  |  |
|                                | 210 W / 945 lm<br>220–240 V<br>CRI 90<br>MacAdam 3–Step                 | Matte Black – 9005  | 16560 2027                               | 16560 2030  |  |
|                                |   | Chrome              | 16560 4027                               | 16560 4030  |  |
|                                | or  | Matte Champagne     | 16560 4527                               | 16560 4530  |  |
|                                | LED<br>3000 K<br>10 W / 950 lm<br>220–240 V<br>CRI 90<br>MacAdam 3–Step |                     |  |             |  |
|                                | LED included  |                     |  |             |  |
| Net weight: 0.56 kg Parcels: 1 |   | CE IP20 Energy Savi | (f IP20 Energy Saving ( Dim Triac ( Eff. |             |  |

Energy efficiency class



### Ecodesign Regulation

The LED-only light source contained in this fixture must only be replaced by the manufacturer, its support service or similarly qualified personnel.







#### Nautilus Spot

LED 2700 K 10 W / 945 Im 220–240 V CRI 90 MacAdam 3–Step

#### Photometric data



LED 3000 K 10 W / 950 lm 220–240 V CRI 90 MacAdam 3–Step



## Options of Nautilus



Nautilus

Nautilus, *Design by* Andrea Tosetto

### Model Nautilus

Strong design and leading-edge technology come together in this family of lamps characterised by a convex lens that projects the LED light wherever its needed or most preferred, for a truly efficient and personalised result. Versatile and dynamic, either on the *wall* or *ceiling* in a variety of versions and finishes, *Nautilus* lamps satisfy a full range of lighting needs, whether functional or purely decorative, in both residential and professional contexts.



| Nautilus                                      |                          | Light source   | Structure: Metal                         | Code 2700 K | Code 3000 K |
|---|--------------------------|--|--|-------------|-------------|
| 5.8 cm<br>2.28" 15.5 cm<br>013.4 cm<br>05.27" |                          | LED<br>2700 K<br>12 W / 995 lm<br>220–240 V                              | Matte White – 9010                       | 16530 1027  | 16530 1030  |
|   |                          |  | Matte Black – 9005                       | 16530 2027  | 16530 2030  |
|   | CRI 90<br>MacAdam 3-Step | Chrome   | 16530 4027                               | 16530 4030  |             |
|   | or                       | Matte Champagne  | 16530 4527                               | 16530 4530  |             |
|   | 15.5 cm<br>6.1"          | LED<br>3000 K<br>12 W / 1085 Im<br>220–240 V<br>CRI 90<br>MacAdam 3–Step |  |             |             |
|   |                          | LED included   |  |             |             |
| Net weight: 1.10 kg Parcels: 1                |                          | (CE) (IP20) (Energy Sav  | (€ IP20 Energy Saving ⊕ Dim Triac ⊕ Eff[ |             |             |
|   |                          |  |  |             |             |

Energy efficiency class



### Ecodesign Regulation


The LED-only light source contained in this fixture must only be replaced by the manufacturer, its support service or similarly qualified personnel.




#### Nautilus

LED 2700 K 12 W / 995 Im 220–240 V CRI 90 MacAdam 3–Step

#### Photometric data



LED 3000 K 12 W / 1085 Im 220–240 V CRI 90 MacAdam 3–Step



## Options of Nautilus



Nautilus Spot