

## Nautilus, Design by Andrea Tosetto

### Model Nautilus

Strong design and leading-edge technology come together in this family of lamps characterised by a convex lens that projects the LED light wherever its needed or most preferred, for a truly efficient and personalised result. Versatile and dynamic, either on the *wall* or *ceiling* in a variety of versions and finishes, *Nautilus* lamps satisfy a full range of lighting needs, whether functional or purely decorative, in both residential and professional contexts.



Nautilus	Light source	Structure: Metal	Diffuser: Metal	Code 2700 K	Code 3000 K
<p>Max 28.5 cm Max 11.22"</p> <p>Min 16 cm Min 6.3"</p> <p>Max 19 cm Max 7.48"</p> <p>90°</p> <p>Ø 13 cm Ø 5.11"</p>	LED 2700 K 2 x 12 W / 1990 lm 220–240 V CRI 90 MacAdam 3–Step	<input type="radio"/> Matte White – 9010 <input checked="" type="radio"/> Matte Black – 9005 <input type="radio"/> Chrome <input type="radio"/> Matte Champagne	<input type="radio"/> Matte White – 9010 <input checked="" type="radio"/> Matte Black – 9005 <input type="radio"/> Chrome <input type="radio"/> Matte Champagne	16550 1927 16550 2927 16550 4027 16550 4927	16550 1930 16550 2930 16550 4030 16550 4930
	LED 3000 K 2 x 12 W / 2170 lm 220–240 V CRI 90 MacAdam 3–Step  LED included	<input type="radio"/> or			

Net weight: 1.15 kg

Parcels: 1



IP20

Energy Saving

Dim Triac



Energy efficiency class

**F**

Ecodesign Regulation


The LED-only light source contained in this fixture must only be replaced by the manufacturer, its support service or similarly qualified personnel.




## Nautilus

LED  
2700 K  
2 × 12 W / 1990 lm  
220–240 V  
CRI 90  
MacAdam 3–Step


## Photometric data



LED  
3000 K  
2 × 12 W / 2170 lm  
220–240 V  
CRI 90  
MacAdam 3–Step



## Options of Nautilus



Nautilus Mini

## Nautilus, Design by Andrea Tosetto

### Model Nautilus Mini

Strong design and leading-edge technology come together in this family of lamps characterised by a convex lens that projects the LED light wherever its needed or most preferred, for a truly efficient and personalised result. Versatile and dynamic, either on the *wall* or *ceiling* in a variety of versions and finishes, *Nautilus* lamps satisfy a full range of lighting needs, whether functional or purely decorative, in both residential and professional contexts.



Nautilus Mini	Light source	Structure	Code 2700 K	Code 3000 K
	LED 2700 K 2 x 6 W / 950 lm 220–240 V CRI 90 MacAdam 3–Step	Matte White – 9010 Matte Black – 9005 Matte Champagne	16551 1027 16551 2027 16551 4527	16551 1030 16551 2030 16551 4530
	LED 3000 K 2 x 6 W / 1030 lm 220–240 V CRI 90 MacAdam 3–Step	or 		
	LED included			

Net weight: 0.75 kg

Parcels: 1



IP20

Energy Saving

Dim Triac




Energy efficiency class



Ecodesign Regulation


The LED-only light source contained in this fixture must only be replaced by the manufacturer, its support service or similarly qualified personnel.




## Nautilus Mini

LED  
2700 K  
2 × 6 W / 950 lm  
220–240 V  
CRI 90  
MacAdam 3–Step

## Photometric data



LED  
3000 K  
2 × 6 W / 1030 lm  
220–240 V  
CRI 90  
MacAdam 3–Step



## Options of Nautilus



Nautilus