


GLOBE 25CM LED



You can probably tell that we are obsessed with spherical objects. In our perpetual quest for the purest forms, Globe stands out as the most minimal of the lot. A spherical orb, highly mirrored and perfectly reflective during the day, when switched on reveals a multiplicity of internal reflections from the integral LED. Also available in a non-metallised opalescent finish.


GLOBE 25CM LED

Year of Design	2019
Finishing Process	Semi-Metallised or Tinted
Environment	Indoor, IP20
Product Weight	1.09kg
Ceiling Rose Shape/Diameter	Cone, 11.5cm / 4.5in
Cable Spec	H03VV-F 2 x 0,75 mm ² PVC-PVC
Cable Type/Length	Black Fabric, 250cm
Light Source	6W LED, Light Source Included, 220-240V
Max Wattage	9W
Lumens	800
CRI	>80
Colour Temperature	3000
Dimmability	Mains Dimmable, leading and trailing edge
Spares	LED02-EU
Certifications/Electrical Class	



Service Offer

Quickship



SILVER	
Code	GLS01CH-PEUM1
Components	LEDP03BKEU, GLS01CH
Shade Material	Polycarbonate
Shade Colour/Finish	Silver, Mirrored
Fitting Material	Steel
Fitting Colour/Finish	Black, Gloss
COPPER	
Code	GLS01CO-PEUM1
Components	LEDP03BKEU, GLS01CO
Shade Material	Polycarbonate
Shade Colour/Finish	Copper, Mirrored
Fitting Material	Steel
Fitting Colour/Finish	Black, Gloss
OPALESCENT	
Code	OPP0101-PEUM1
Components	LEDP03BKEU, OPS0101
Shade Material	Polycarbonate
Shade Colour/Finish	Opalescent, Tinted
Fitting Material	Steel
Fitting Colour/Finish	Black, Gloss

OPAL PENDANT 50CM




Opal is a family of translucent globes using our own custom recipe of tinted white opalescent polycarbonate. Semi translucent, they maintain an ethereal ghostliness in the daylight and at night form a perfectly illuminated sphere. Coupled with our new custom-made dimmable Tom Dixon LED, the Opal range emits a soft, diffused and flattering light. The gentleness of the light bulb shape is achieved through a blow-moulded custom combination of opalescent plastic.

OPAL PENDANT 50CM EU

Code
OPP0102EU

Year of Design	2018
Material	Polycarbonate
LED Spec	6W LED included. LED and driver replaceable via Tom Dixon.
Cable Spec	250cm/98.4 in black fabric cable
Dimmability	Compatible with most LED dimmers
Rating/Location	IP20



OPAL PENDANT 50CM

Process

Blow moulded opalescent polycarbonate shade with an injection moulded polycarbonate diffuser

Cleaning Instructions

Clean with a soft dry cloth only. Do not use polishing agents, water or abrasive materials when cleaning. Always switch off the electricity supply before cleaning.

Country of origin

Germany

Packaging

Height	0.42 m
Width	0.31 m
Length	0.31 m
Weight	4.8 kg

Product weight

2.62 kg

Ceiling rose

Gloss Black Steel Cone 12.5cm/4.9in Ø

Requires assembly

Yes

Light Source Included

6W Tom Dixon LED Ring 800lm 3000K

Voltage

220-240V

