

# FLOS

F4633009 White

## Overlap Suspension 1

Designed by Michael Anastassiades, 2018




Halogen - 105W

Suspended lamp with diffused light. Internal structure in white powder painted steel. Resin diffuser Cocoon sprayed on the structure, with a transparent protection created by spraying at the end of the machining, ring for substitution of printed steel diffuser in Polished, Gold-plated "Galvanic" finish. Die-cast rose in Zama Polished and Gold-plated "Galvanic" finish.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



### Main specifications

EAN	8059607020098
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of heads	1
Power (W)	105

### Physical

Colour	White
Cord length (mm)	2700
Net weight (kg)	5.6
Package height (mm)	1000
Package width (mm)	650
Package length (mm)	650
Package volume (m3)	0.42
IP internal	20

### Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF



IP
20

## Photometric

Lighting type	Total
Light distribution	Asymmetric

## Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No
Charging min time	No

## Bulbs



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38




NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38

## Spare Parts



- |     |   |           |
|-----|---|-----------|
| 01. | Complete rose                                 | RF4630159 |
| 02. | Kit with screws and allen key                 | RF3160100 |
| 03. | 4mt steel wire Ø1,2 with 19<br>winded wires   | RF01089   |
| 03. | 3 mt steel cable ø1,2 with 19<br>winded wires | RF29665   |

**DOWNLOAD**



RF4630159  
Complete rose



RF3160100  
Kit with screws and allen key



RF01089  
4m steel wire  $\varnothing 1,2$  with 19  
winded wires

FLOS

RF29665  
3 mt steel cable  $\varnothing 1,2$  with 19  
winded wires

# FLOS

F4634009 White

## Overlap Suspension 2

Designed by Michael Anastassiades, 2018




Halogen - 2 x 105W

Suspended lamp with diffused light. Internal structure in white powder painted steel. Resin diffuser Cocoon sprayed on the structure, with a transparent protection created by spraying at the end of the machining, ring for substitution of printed steel diffuser in polished, Gold-plated "Galvanic" finish. Die-cast rose in Zama polished and Gold-plated "Galvanic" finish.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



### Main specifications

EAN	8059607020104
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of heads	2
Power (W)	105

### Physical

Colour	White
Cord length (mm)	2700
Net weight (kg)	8.8
Package height (mm)	1400
Package width (mm)	900
Package length (mm)	900
Package volume (m3)	1.13
IP internal	20

### Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF



IP
20

## Photometric

Lighting type	Total
Light distribution	Asymmetric

## Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No
Charging min time	No

## Bulbs



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38




NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38



## Spare Parts



- |     |   |           |
|-----|---|-----------|
| 01. | Complete rose                                 | RF4630159 |
| 02. | Kit with screws and allen key                 | RF3160100 |
| 03. | 4mt steel wire Ø1,2 with 19<br>winded wires   | RF01089   |
| 03. | 3 mt steel cable ø1,2 with 19<br>winded wires | RF29665   |

**DOWNLOAD**



RF4630159  
Complete rose



RF3160100  
Kit with screws and allen key



RF01089  
4mt steel wire  $\varnothing$ 1,2 with 19  
winded wires

FLOS

RF29665  
3 mt steel cable  $\varnothing$ 1,2 with 19  
winded wires