PH 2/1 STEM FITTING

The fixture is designed based on the principle of a reflective three-shade system, which directs the majority of the light downwards. The shades are made of mouth-blown opal three-layer glass, which is glossy on the top and sandblasted matt on the underside, giving a soft and diffused light distribution.





Poul Henningsen

Poul Henningsen was born in Copenhagen by the famous Danish writer Agnes Henningsen. He never graduated as an architect, but studied at The Technical School at Frederiksberg, Denmark from 1911-14, and then at Technical College in Copenhagen from 1914-17.





PH 2/1 Stem Fitting

Product info

Mounting

Suspension type: Cable 2x0,75mm². Canopy: Yes. Cable length: 3,5m.

Finish

High lustre chrome plated. White opal glass.

Materials

Shades: Mouth-blown white opal glass. Body: High lustre chrome plated, brass. Socket cover: High lustre chrome plated, spun aluminium.

Sizes and weights

Width x Height x Length (mm) | 596 x 551 x 596 Max 3.5 kg

Class

Ingress protection IP20. Electric shock protection II w/o ground.

Specification notes

The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On www.louispoulsen.com we update a list of recommendable light sources.

Related products







PH 2/1 Pendant

PH 2/1 Table

PH 2/1 Wall



louis poulsen louispoulsen.com

	^^	: _	
U	es	IO	Ш

Poul Henningsen

Weight

3.481

Finish

High lustre chrome plated

Spare parts & accessories

Product	Variant number
PH 2/1 Opal glass middle shade	5741084940
PH 2/1 Opal glass lower shade	5741084953
PH 2/1 Opal glass top shade	5741084937
PH 2/1 Table, springholder w/springs	5741086333
PH 2/1 Table, glassbom.topshade w/bal.ring	5741084885
Classic Polished Chrome canopy	5741481721

louis poulsen louispoulsen.com