# $PH \ 3-21/_2 \ BOLLARD$

The fixture is designed based on the principle of a reflective three-shade system, which directs the light downwards. The shades have a matt white painted interior surface, diffusing the light in a comfortable way.



### Poul Henningsen

Poul Henningsen was born in Copenhagen by the famous Danish writer Agnes Henningsen. He never graduated as an architect, but studied at The Technical School at Frederiksberg, Denmark from 1911-14, and then at Technical College in Copenhagen from 1914-17.





# Product info

#### Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

#### Information

Earth anchor to be ordered separately. Anchor bolts to be sourced locally.

#### Mounting

Terminal block: 1x5x2.5mm<sup>2</sup>. Terminal block positioning: In post. Cable entries: 2x bottom entries Ø 17mm. Looping: Approved, max. 5x2,5mm<sup>2</sup>. Post w/base plate for surface mounting: H: 909mm incl. fixture head. Post dia. 32mm.

#### Finish

Black, powder coated.

#### Materials

Top shade: Spun stainless steel. Middle/lower shade: Spun stainless steel. Shadeholder: Form pressed glass. Post: Stainless steel.

#### Sizes and weights

Width x Height x Length (mm) | 283 x 909 x 283 Max 3.4 kg

#### Class

Ingress protection IP44. Electric shock protection I.

#### Specification notes

The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On www.louispoulsen.com we update a list of recommendable light sources.

Light source 1x60W E27

#### Information

Earth anchor to be ordered separately. Anchor bolts to be sourced locally.

### **Related products**



PH 3-21/2 Wall

## **Product variants**

Light source

1x60W E27



## Design

Poul Henningsen


## Weight

3.373

# Finish

Black

# Light distribution diagrams



# Spare parts & accessories

Product	Variant number
PH 3-2½ Bollard/Wall, 3 x black top screws	5747293405
PH 3-2½ Bollard/Wal glass	5747293418
PH3-2½ BOL/TOLDBOD BOL EARTH ANCHOR NEW	5747293696