# PH 31/2-21/2 TABLE

The louvre is 100% glare-free, with a design based on the principle of a reflective three-shade system, which directs most of the light downwards. The white painted lower surface of the top shade gently directs the light downwards. The two bottom mouth-blown opal glass shades ensure a large glare-free light surface, making optimum use of the light source to provide comfortable, functional lighting. The opal glass shades are shiny on the outside and matt on the inside.



## Poul Henningsen

Poul Henningsen was born in Copenhagen by the famous Danish writer Agnes Henningsen. He never graduated as an architect, but studied at The Technical School at Frederiksberg, Denmark from 1911-14, and then at Technical College in Copenhagen from 1914-17.



Private Residence, Copenhagen



Fredericia Furniture Showroom

# Product info

### Mounting

Cord type: Plastic with plug. Cord length: 2.5 m. Switch: On the cord.

#### Finish

Red, green, yellow and white, powder coated.

#### Materials

Top shade: Spun aluminium. Other shades: Mouth-blown white opal glass. Shade holder: Silk matt brown brass. Stand: Silk matt brown brass.

### Sizes and weights

Width x Height x Length (mm) | 330 x 450 x 330 Max 2.6 kg

#### Class

Ingress protection IP20. Electric shock protection II w/o ground.

# **Related products**







PH 31/2-3 Pendant

PH 31/2-21/2 Floor

PH 31/2-21/2 Glass Table



PH 31/2-3 Glass Pendant

# **Product variants**

| Colour  | Light source    |
|---------|-----------------|
| Green   | -               |
| Red     | 1x60W 1x60W E14 |
| O White |                 |
| Yellow  |                 |



# **Product description**

Portable fixture.

Terse and iconic design. The size of the three shades is adjusted for optimum performance and comfort. Interior surfaces of glass shades sandblasted to diffuse light. Interior surface of top shade in white to direct light downward. Member of a family products of various sizes and type. Available in four colours.

# Mounting

Portable fixture plugs into standard wall outet.

# Light description

The fixture emits glare free, comfortable light.

## Design

Poul Henningsen

### Material

Top shade: spun aluminum, 1. 5mm (0. 06") thick, wet painted. Lower shades:mouth blown white glass, 1. 5mm (0. 06") thick. Struts and socket cover: cast copper, bronze finished. Base: steel with bronze finished, copper cover. Stem: extruded copper, bronze finished, 2. 0mm (0. 06") thick. Switch: on/off, phenolic, on cord. Socket: Porcelain, medium base for A-19, frosted envelope lamps.

### Weight

Min: 2.509 kg Max: 2.563 kg

# Finish

Green, Red, White, Yellow

# Spare parts & accessories

| Product                              | Variant number |
|--------------------------------------|----------------|
| PH 31/2-21/2 Opal glass middle shade | 5744162241     |
| PH 31/2-21/2 Opal glass lower shade  | 5744162254     |
| PH 31/2, Red metal top shade         | 5741095434     |
| PH 3½, Green metal top shade         | 5741095463     |
| PH 31/2-21/2 Opal glass top shade    | 5741095492     |
| PH 31/2, Yellow metal top shade      | 5741095528     |
| Finger screw OB M3X12 (3pcs) lower   | 5744611129     |
| Finger screw OB M2X12 (3pcs) middle  | 5744611132     |