Panthella Floor

The fixture emits a glare-free, soft and comfortable illumination. The opal acrylic shade leaves a diffused comfortable light atmosphere due to the translucent shade, the downward reflection from the inner shade and the reflection from the trumpet stem.



Verner Panton

Verner Panton (1926-1998) is famous for his inspirational and colorful personality. A unique person with a special sense for color, shape, light function and space. Over the course of his career, Panton introduced a series of modern lamps with personalities unlike any of his Scandinavian contemporaries.







Design to Shape Light

1/4

louispoulsen.com

Product info

Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Mounting

Cable type: Plastic cord with plug. Cable length: 2.5m. Light control: On/off switch on cord. Diffuser with bajonet lock.

Finish

White opal acrylic.

Materials

Shade: Injection moulded white opal acrylic. Base: White, injection moulded ABS. Housing: White, injection moulded ABS. Diffuser : Injection moulded opal pmma.

Sizes and weights

Width x Height x Length (mm) | 500 x 1311 x 500 Max 5.8 kg

Class


Ingress protection IP20. Electric shock protection II w/o ground.

Specification notes

The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On www.louispoulsen.com we update a list of recommendable light sources.

Light source 1x53W E27

Product family



Product variants

Light source

1x53W E27



Product description

Modern, all white, portable fixture. Terse and iconic design Matching table version available.

Mounting

Portable fixture plugs into standard wall outet.

Light description

The fixture emits glare free, comfortable light. Top hemispherical shade reflects light downwards

Design

Verner Panton

Material

Shade: opal acrylic, 1. 5mm (0. 06") thick. Base: injection molded white ABS, 1. 5mm (0. 06") thick. Stem: extruded steel, white wet painted, 1. 5mm (0. 06") thick. Switch: on/off, phenolic, on cord. Socket: Porcelain, medium base for A-19, frosted envelope lamps.

Weight

5.75

Finish

White opal acryl

Light distribution diagrams

CartesianIsoluxPolar

. . .

Spare parts & accessories

Product	Variant number
Panthella Floor/Table top nut chrome	5744610049
Foot switch On/Off white	5717000013
Parthella Floor shade holder clear	5744610052
Panthella Floor tube	5744163295
Parthella Floor upper trumpet	5744163305
Panthella Floor legs with nut & washer	5744610531
Panthella Floor diffuser V2021	5744167518
Panthella Floor bajonetbase V2021	5744167521
Panthella Floor shade V2021	5744167547
Panthella Floor tube paintet V2021	5744167550
Panthella Floor upper trumpet V2021	5744167563