




Design By Ramos &amp; Bassols

The Spa wall lamp is ideal for damp areas. The softness of polycarbonate and its linear grooves contrast with the matt texture of the aluminium frame.

## Model Sheet



<b>Finish</b>	 23 Warm White NCS S 0502-Y50R
	 25 Beige D1 NCS S 4005-Y50R
	 11 Black NCS S 8500-N

**LED temperature color** 2700 K / 3500 K

**Dimming** 1-10V / DALI

**Materials** Diffuser: Methacrylate  
Body: Aluminum  
Ceiling rose: Aluminum

**Light source** 1 x LED STRIP 21,6W 600mA



**LED** CRI>90 3212 lm 57,61  
2700 K / 3500 K

**Driver** Constant Current 600  
220-240 V V 50-60 Hz HZ



LED

50-60Hz

1-10V

**Application** Wall Lamps

**Packaging** 1 Box  
2,3 m x 0,1 m x 0,1 m  
Gross weight 1  
Net weight 1  
Vol. 0.023

**Lighting effect****General Lighting**

Lamp for general lighting that equally distributes the light in all directions.

**Photometric Data**

Go to [vibia.com](http://vibia.com) to get the photometric data for the different LED color temperatures.

**Efficiency** 60.77 lm/W  
**Coordinate System** CG  
**Total Flux** 1071.98 lm  
**Maximum Value** 457.78 cd

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

**Vibia Lighting, S.L.U.**

**Office / Oficina**  
Progrés 4-6. 08850 Gavà. Barcelona, Spain.


**International** T +34 934 796 971  
**Spain / Portugal** T +34 934 796 970

[customer.service@vibia.com](mailto:customer.service@vibia.com)  
[vibia.com](http://vibia.com)

Design By Ramos &amp; Bassols

The Spa wall lamp is ideal for damp areas. The softness of polycarbonate and its linear grooves contrast with the matt texture of the aluminium frame.

## Model Sheet




<b>Finish</b>	 23 Warm White NCS S 0502-Y50R
	 25 Beige D1 NCS S 4005-Y50R
	 11 Black NCS S 8500-N



**LED temperature color** 3500 K

**Dimming** DALI

**Materials** Body: Aluminum  
Diffuser: PMMA  
Ceiling rose: Aluminum

**LED**  CRI>90  
3500 K

**Driver** 220~240 V V 50~60 Hz HZ

 Dimmable 

**Application** Wall Lamps

**Packaging** 1 Box  
1,5 m x 0,1 m x 0,1 m  
Gross weight 1  
Net weight 1  
Vol. 0.015

**Lighting effect****General Lighting****Photometric Data**

Go to [vibia.com](http://vibia.com) to get the photometric data for the different LED color temperatures.

<b>Efficiency</b>	60.77 lm/W
<b>Coordinate System</b>	CG
<b>Total Flux</b>	644.16 lm
<b>Maximum Value</b>	275.08 cd

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

**Vibia Lighting, S.L.U.**

**Office / Oficina**  
Progrés 4-6. 08850 Gavà. Barcelona, Spain.


**International** T +34 934 796 971  
**Spain / Portugal** T +34 934 796 970




[customer.service@vibia.com](mailto:customer.service@vibia.com)  
[vibia.com](http://vibia.com)

Design By Ramos &amp; Bassols

The Spa vanity light is distinguished by its minimalist, refined forms. Thanks to its linear LED profile, the light can be oriented in the desired direction.

## Model Sheet



<b>Finish</b>	 23 Warm White NCS S 0502-Y50R
	 11 Black NCS S 8500-N
	 25 Beige D1 NCS S 4005-Y50R



**LED temperature color** 3500 K

**Dimming** DALI

**Materials** Body: Aluminum  
Diffuser: PMMA  
Ceiling rose: Aluminum

**LED**  CRI>90  
3500 K

**Driver** 220~240 V V 50~60 Hz HZ

 Dimmable 

**Application** Wall Lamps

**Packaging** 1 Box  
3.3 m x 0.1 m x 0.1 m  
Gross weight 1  
Net weight 1  
Vol. 0.033

**Lighting effect****General Lighting****Photometric Data**

Go to [vibia.com](http://vibia.com) to get the photometric data for the different LED color temperatures.

**Efficiency** 60.77 lm/W  
**Coordinate System** CG  
**Total Flux** 1607.97 lm  
**Maximum Value** 686.66 cd

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

**Vibia Lighting, S.L.U.**

**Office / Oficina**  
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

**International** T +34 934 796 971  
**Spain / Portugal** T +34 934 796 970



[customer.service@vibia.com](mailto:customer.service@vibia.com)  
[vibia.com](http://vibia.com)

5985

Design By Ramos &amp; Bassols

The Spa wall or ceiling lamp is suitable for damp areas. Its versatile system enables the luminaries to be placed in a line to illuminate up to six metres of wall or ceiling space.

## Model Sheet




<b>Finish</b>	 23 Warm White NCS S 0502-Y50R
	 25 Beige D1 NCS S 4005-Y50R
	 11 Black NCS S 8500-N

**LED temperature color** 2700 K / 3500 K

**Dimming** 1-10V / DALI

**Materials** Body: Aluminum  
Diffuser: PMMA  
Ceiling rose: Aluminum

**LED**  CRI>90 9637 lm 138  
2700 K / 3500 K

**Driver** Constant Current 600  
220~240 V V 50~60 Hz HZ

 Dimmable  LED  50-60Hz


 1-10V

**Application** Ceiling Lamps

**Packaging** 1 Box  
3.3 m x 0.1 m x 0.1 m  
Gross weight 1  
Net weight 1  
Vol. 0.033

**Lighting effect****General Lighting**

Lamp for general lighting that equally distributes the light in all directions.

**Photometric Data**

Go to [vibia.com](http://vibia.com) to get the photometric data for the different LED color temperatures.

<b>Efficiency</b>	60.77 lm/W
<b>Coordinate System</b>	CG
<b>Total Flux</b>	3215.95 lm
<b>Maximum Value</b>	1373.33 cd

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

**Vibia Lighting, S.L.U.**

**Office / Oficina**  
Progrés 4-6. 08850 Gavà. Barcelona, Spain.



**International** T +34 934 796 971  
**Spain / Portugal** T +34 934 796 970


[customer.service@vibia.com](mailto:customer.service@vibia.com)  
[vibia.com](http://vibia.com)

Design By Ramos &amp; Bassols

The Spa wall or ceiling lamp is suitable for damp areas. Its versatile system enables the luminaries to be placed in a line to illuminate four metres and a half of wall or ceiling space.

## Model Sheet



<b>Finish</b>	 11 Black NCS S 8500-N
	 23 Warm White NCS S 0502-Y50R
	 25 Beige D1 NCS S 4005-Y50R



**LED temperature color** 3500 K

**Dimming** DALI

**Materials** Body: Aluminum  
Diffuser: PMMA  
Ceiling rose: Aluminum

**LED**  CRI>90  
3500 K

**Driver** 220~240 V V 50~60 Hz HZ

 Dimmable 

**Application** Ceiling Lamps

**Packaging** 1 Box  
2,3 m x 0,1 m x 0,1 m  
Gross weight 1  
Net weight 1  
Vol. 0.023

**Lighting effect****General Lighting****Photometric Data**

Go to [vibia.com](http://vibia.com) to get the photometric data for the different LED color temperatures.

**Efficiency** 60.77 lm/W  
**Coordinate System** CG  
**Total Flux** 2143.97 lm  
**Maximum Value** 915.55 cd

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

**Vibia Lighting, S.L.U.**

**Office / Oficina**  
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

**International** T +34 934 796 971  
**Spain / Portugal** T +34 934 796 970


[customer.service@vibia.com](mailto:customer.service@vibia.com)  
[vibia.com](http://vibia.com)

5979

Design By Ramos &amp; Bassols

The Spa wall or ceiling lamp projects a bright glare-free light thanks to the subtle fluted effect of its shade. The aluminium frame has a wide range of finishes to adapt to different interior designs.

## Model Sheet




<b>Finish</b>	 25 Beige D1 NCS S 4005-Y50R
	 23 Warm White NCS S 0502-Y50R
	 11 Black NCS S 8500-N


**LED temperature color** 2700 K / 3500 K

**Dimming** 1-10V / DALI

**Materials** Diffuser: Methacrylate  
Body: Aluminum  
Ceiling rose: Aluminum

**LED**  CRI>90 4818 lm 57,6  
2700 K / 3500 K

**Driver** 600 220~240 V V 50~60 Hz  
HZ



**Application** Ceiling Lamps

**Packaging** 1 Box  
3,3 m x 0,1 m x 0,1 m  
Gross weight 1  
Net weight 1  
Vol. 0.033

**Lighting effect****General Lighting**

Lamp for general lighting that equally distributes the light in all directions.

**Photometric Data**

Go to [vibia.com](http://vibia.com) to get the photometric data for the different LED color temperatures.

**Efficiency** 60.77 lm/W  
**Coordinate System** CG  
**Total Flux** 1607.97 lm  
**Maximum Value** 686.66 cd

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

**Vibia Lighting, S.L.U.**

**Office / Oficina**  
Progrés 4-6. 08850 Gavà. Barcelona, Spain.


**International** T +34 934 796 971  
**Spain / Portugal** T +34 934 796 970

[customer.service@vibia.com](mailto:customer.service@vibia.com)  
[vibia.com](http://vibia.com)

Design By Ramos &amp; Bassols

The Spa vanity light is distinguished by its minimalist, refined forms. Thanks to its linear LED profile, the light can be oriented in the desired direction.

## Model Sheet



<b>Finish</b>	 11 Black NCS S 8500-N
	 25 Beige D1 NCS S 4005-Y50R
	 23 Warm White NCS S 0502-Y50R



**LED temperature color** 3500 K

**Dimming** DALI

**Materials** Body: Aluminum  
Diffuser: PMMA  
Ceiling rose: Aluminum

**LED**    
CRI>90  
3500 K

**Driver** 220~240 V V 50~60 Hz HZ

 **Dimmable**  **50-60Hz**

**Application** Wall Lamps

**Packaging** 1 Box  
1.5 m x 0.1 m x 0.1 m  
Gross weighth 3  
Net weighth 1.5  
Vol. 0.015

**Lighting effect****General Lighting****Photometric Data**

Go to [vibia.com](http://vibia.com) to get the photometric data for the different LED color temperatures.

**Efficiency** 60.77 lm/W  
**Coordinate System** CG  
**Total Flux** 644.16 lm  
**Maximum Value** 275.08 cd

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

**Vibia Lighting, S.L.U.**

**Office / Oficina**  
Progrés 4-6. 08850 Gavà. Barcelona, Spain.


**International** T +34 934 796 971  
**Spain / Portugal** T +34 934 796 970

[customer.service@vibia.com](mailto:customer.service@vibia.com)  
[vibia.com](http://vibia.com)

Design By Ramos &amp; Bassols

The Spa vanity light is distinguished by its minimalist, refined forms. Thanks to its linear LED profile, the light can be oriented in the desired direction.

## Model Sheet



<b>Finish</b>	 23 Warm White NCS S 0502-Y50R
	 25 Beige D1 NCS S 4005-Y50R
	 90 Black NCS S 8500N



**LED temperature color** 3500 K

**Dimming** DALI

**Materials** Body: Aluminum  
Diffuser: PMMA  
Ceiling rose: Aluminum

**LED**  CRI>90  
3500 K

**Driver** 220~240 V V 50~60 Hz HZ

 Dimmable 

**Application** Wall Lamps

**Packaging** 1 Box  
2,3 m x 0,1 m x 0,1 m  
Gross weighth 3  
Net weighth 1,5  
Vol. 0.023

**Lighting effect****General Lighting****Photometric Data**

Go to [vibia.com](http://vibia.com) to get the photometric data for the different LED color temperatures.

<b>Efficiency</b>	60.77 lm/W
<b>Coordinate System</b>	CG
<b>Total Flux</b>	1071.98 lm
<b>Maximum Value</b>	457.78 cd

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

**Vibia Lighting, S.L.U.**

**Office / Oficina**  
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

**International** T +34 934 796 971  
**Spain / Portugal** T +34 934 796 970

[customer.service@vibia.com](mailto:customer.service@vibia.com)  
[vibia.com](http://vibia.com)




5977

Design By Ramos &amp; Bassols

The Spa wall or ceiling lamp projects a bright glare-free light thanks to the subtle fluted effect of its shade. The aluminium frame has a wide range of finishes to adapt to different interior designs.

## Model Sheet




<b>Finish</b>	 11 Black NCS S 8500-N
	 23 Warm White NCS S 0502-Y50R
	 25 Beige D1 NCS S 4005-Y50R


**LED temperature color** 2700 K / 3500 K

**Dimming** DALI / 1-10V

**Materials** Diffuser: Methacrylate  
Body: Aluminum  
Ceiling rose: Aluminum

**LED**  CRI>90 3212 lm 57,61  
2700 K / 3500 K

**Driver** 600 220~240 V V 50~60 Hz  
HZ




**Application** Ceiling Lamps

**Packaging** 1 Box  
2,3 m x 0,1 m x 0,1 m  
Gross weighth 3  
Net weighth 1,5  
Vol. 0.023

**Lighting effect****General Lighting**

Lamp for general lighting that equally distributes the light in all directions.

**Photometric Data**

Go to [vibia.com](http://vibia.com) to get the photometric data for the different LED color temperatures.

**Efficiency** 60.77 lm/W  
**Coordinate System** CG  
**Total Flux** 1071.98 lm  
**Maximum Value** 457.78 cd

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

**Vibia Lighting, S.L.U.**

**Office / Oficina**  
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

**International** T +34 934 796 971  
**Spain / Portugal** T +34 934 796 970


customer.service@vibia.com  
vibia.com

5975

Design By Ramos &amp; Bassols

The Spa wall or ceiling lamp projects a bright glare-free light thanks to the subtle fluted effect of its shade. The aluminium frame has a wide range of finishes to adapt to different interior designs.

## Model Sheet




<b>Finish</b>	 11 Black NCS S 8500-N
	 23 Warm White NCS S 0502-Y50R
	 25 Beige D1 NCS S 4005-Y50R


**LED temperature color** 2700 K / 3500 K

**Dimming** 1-10V / DALI

**Materials** Diffuser: Methacrylate  
Body: Aluminum  
Ceiling rose: Aluminum

**LED**  CRI>90 1510 lm 119,87  
2700 K / 3500 K

**Driver** Constant Current 600  
220~240 V V 50~60 Hz HZ




**Application** Ceiling Lamps

**Packaging** 1 Box  
1,5 m x 0,1 m x 0,1 m  
Gross weight 3  
Net weight 1,5  
Vol. 0.015

**Lighting effect****General Lighting**

Lamp for general lighting that equally distributes the light in all directions.

**Photometric Data**

Go to [vibia.com](http://vibia.com) to get the photometric data for the different LED color temperatures.

**Efficiency** 61.06 lm/W  
**Coordinate System** CG  
**Total Flux** 644.16 lm  
**Maximum Value** 275.08 cd

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

**Vibia Lighting, S.L.U.**

**Office / Oficina**  
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

**International** T +34 934 796 971  
**Spain / Portugal** T +34 934 796 970

customer.service@vibia.com  
[vibia.com](http://vibia.com)