

FLOS

F7762009 White

Tatou Suspension 1

Designed by Patricia Urquiola, 2012



Halogen - 70W

Diffused light suspended lamp. External diffuser in Polycarbonate. Internal diffuser in injection printed opal polycarbonate.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607007372
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS / FBT
Number of heads	1
Power (W)	70

Physical

Colour	White
Cord length (mm)	2700
Net weight (kg)	1.2
Package volume (m3)	0.05
IP internal	20



Download

[Mounting instructions](#) PDF

[Spare Parts](#) PDF

Photometric Files


[LDT / IES](#) LDT

Technical Drawings

[2D](#) ZIP



Schematic light drawing



Photometric

Lighting type	Indirect, Direct
Light distribution	Asymmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No
Charging min time	No

Bulbs



NOT INCLUDED

RF25317

LED Opal Lamp E27 8W 3000K
A60 Dimmable




NOT INCLUDED

RF25323

LED Opal Lamp E27 8W 2700K
A60 Dimmable

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | White ceiling rose assembly | RF7753109 |
| 03. | Tatou T1-S1 white assembly
diffuser | F7751009 |
| 04. | E27 lamp holder version | RF22268 |
| 05. | Kit with screws for t1-s1 opal
reflector assembly | RF7751100 |
| 06. | T1-S1 opal reflector assembly | RF7751200 |
| 07. | Opal internal S1 diffuser | RF22435 |

DOWNLOAD



RF7753109
White ceiling rose assembly



F7751009
Tatou T1-S1 white assembly
diffuser



RF22268
E27 lamp holder version



RF7751100
Kit with screws for t1-s1 opal
reflector assembly



RF7751200
T1-S1 opal reflector assembly



RF22435
Opal internal S1 diffuser

FLOS

F7766009 White

Tatou Suspension 2

Designed by Patricia Urquiola, 2012



Halogen - 205W

Diffused light suspended lamp. External diffuser in Polycarbonate. Internal diffuser in injection printed opal polycarbonate.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607007501
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of heads	1
Power (W)	205

Physical

Colour	White
Cord length (mm)	2700
Net weight (kg)	4.7
Package volume (m3)	0.18
IP internal	20



Download

[Mounting instructions](#) PDF

[Spare Parts](#) PDF

Photometric Files


[LDT / IES](#) LDT

Technical Drawings

[2D](#) ZIP



Schematic light drawing




Photometric

Lighting type	Indirect, Direct
Light distribution	Asymmetric

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No
Charging min time	No

Bulbs



NOT INCLUDED

RF26998

LED 21W E27 2450lm 3000K
DIMMER




NOT INCLUDED

RF30429

LED Opal Lamp E27 21W 2700K
A65 Dimmable

Spare Parts



01.	White ceiling rose assembly	RF7756109
03.	F-S2 white assembly diffuser	F7755009
04.	Kit of 5 or rings	RF05382
05.	Kit with screws for f-s2 opal reflector assembly	RF7755100
06.	Porcelain E27 lamp holder	RF04487
07.	F-S2 reflector assembly	RF7755200
08.	Opal internal S2 diffuser	RF21517

DOWNLOAD



RF7756109
White ceiling rose assembly



F7755009
F-S2 white assembly diffuser



RF05382
Kit of 5 or rings



RF7755100
Kit with screws for f-s2 opal reflector assembly



RF04487
Porcelain E27 lamp holder



RF7755200
F-S2 reflector assembly



RF21517
Opal internal S2 diffuser