

Toldbod Pendant

The pendant emits soft downwards directed light. The matt, white-painted inside of the elliptical shade helps to assure even distribution of the light.



**Original Coffee,
Copenhagen**



Product info

Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Mounting

Suspension type: Cable 2x0,75mm². Ø400/Ø550: Cable and wire. Cable length: 3m. (Ø120/Ø170). 4m. (Ø250/Ø400/Ø550). Canopy: Yes. Black and white cords.

Finish

Ø120/Ø170/Ø250: Black, White, Dark Rose, Light Grey or Blue-Grey. Matt powder coated. Ø400/Ø550: Black or White. Matt powder coated.

Materials

Shade: Spun aluminium. Ø120 reflector: Spun white matt coated aluminium. Ø400/Ø550 diffuser: Matt acrylic

Sizes and weights

Width x Height x Length (mm) | 120 x 121 x 120 Max 0.7 kg | 170 x 173 x 170 Max 1.0 kg | 250 x 254 x 250 Max 1.4 kg | 400 x 406 x 400 Max 3.4 kg | 550 x 558 x 550 Max 5.6 kg

Class

Ingress protection IP20. Electric shock protection II w/o ground.

Light source


G9




Product family




Toldbod 155/220 Glass
Pendant



Toldbod 220/290 Wall



Toldbod 155 Wall



Toldbod 155 Bollard



Toldbod 290 Post



Toldbod 290 LED Upgrade Kit

Product variants

Dimension	Colour	Cable type	Light source
Ø 120	● Black	Blk tex	1x100W E27
Ø 170	● Blue-grey	Wht tex	1x60W E27
Ø 250	● Dark rose		E14
Ø 400	● Light grey		G9
Ø 550	○ White		

Design

Louis Poulsen A/S

Weight

Min: 0.66 kg Max: 5.562 kg

Dimensions


Ø 120, Ø 170, Ø 250, Ø 400, Ø 550

Finish


Black, Blue-grey, Dark rose, Light grey, White

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Toldbod Pendant

Product	Variant number
Canopy White 2-part tophat ®	5749329034
Canopy Black 2-part tophat®	5749329021