

# VL RING CROWN 1

The pendant emits light directed primarily downwards.  
The opal glass provides a comfortable and uniform illumination of the area around the fixture.



## Vilhelm Lauritzen

Vilhelm Lauritzen (1894–1984) is one of the most significant architects in the history of Denmark; he was the trail-blazing figurehead of Danish functionalism. A number of his buildings – Nørrebro Theatre (1931–32), Daells Varehus department store (1928–35), Radiohuset (1936–41) and the first airport built in Kastrup (1937–39) – represented the concentrated essence of contemporary life.



Set location -  
The Silo



## Product info

### Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

### Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina.

### Mounting

Cable 2x0,75mm<sup>2</sup>. Canopy: Yes. Cable length: 3m.

### Finish

Glossy, mouthblown white opal glass. Satin polished brass, untreated.

### Materials

Shades: Mouth-blown, 3-layered, polished opal glass. Suspension: Untreated brass, will patinate.

### Sizes and weights

Width x Height x Length (mm) | 190 x 342 x 190 Max 1.2 kg

### Class


Ingress protection IP20. Electric shock protection II w/o ground.

### Information


Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina.




## Related products



VL Ring Crown 3-5-7



VL Ring Crown Wall 2



VL Ring Crown Wall 1

## Design

Vilhelm Lauritzen

---

## Weight

1.195

---

## Finish

Brass/glossy opal glass

## Spare parts & accessories

Product	Variant number
Canopy White 2-part tophat ©	5749329034
VL Ring Crown 1 glass	5741094419
VL Ring crown 1 suspension	5741102657
VL Ring Crown wire/cord, replacement kit	5741109508