

PANZERI

Zero Round

220-240V AC dimmable (DALI/Push DIM)

XM10301.521.0002

 white

Data sheet


CODE	XM10301.521.0002
POWER SUPPLY	220-240V AC
FREQUENCY	50/60Hz
ELECTRICAL CONFIGURATION	dimmable (DALI/Push DIM)
DRIVER	integrated included
WEIGHT	0,00 Kg
PACKING DIMENSIONS	0,0 x 0,0 x 0,0 cm



Canopy for power supply of 1 Zero Round 125 - Zero Round 150 - Zero Round 200 model, with DALI/Push DIM driver.

Technical drawing

3,8
1 1/2"



32,5
12 4/5"

PANZERI

Zero Round

220-240V AC dimmable (DALI/Push DIM)

XM03301.531.0002

 white

Data sheet


CODE	XM03301.531.0002
POWER SUPPLY	220-240V AC
FREQUENCY	50/60Hz
ELECTRICAL CONFIGURATION	dimmable (DALI/Push DIM)
DRIVER	integrated included
WEIGHT	0,70 Kg
PACKING DIMENSIONS	22,0 x 24,0 x 9,0 cm



Canopy for power supply and suspension of 1 Zero Shapes Horizontal model, with DALI/Push DIM driver.

Technical drawing

4,1
1 5/8"



20,6
8 1/9"

PANZERI

Zero Round

220-240V AC dimmable (DALI/Push DIM)

XM03301.511.0002

 white

Data sheet


CODE	XM03301.511.0002
POWER SUPPLY	220-240V AC
FREQUENCY	50/60Hz
ELECTRICAL CONFIGURATION	dimmable (DALI/Push DIM)
DRIVER	integrated included
WEIGHT	0,70 Kg
PACKING DIMENSIONS	22,0 x 24,0 x 9,0 cm



Canopy for power supply of 1 Zero Shapes model, with DALI/Push DIM driver.

Technical drawing

4,1
1 5/8"



20,6
8 1/9"