ARA WALL

Ilaria Marelli

Family of floor and wall lamps, with fluorescent, LED and halogen sources depending on the version.

It is composed by two elements in extruded aluminium: depending on versions, structure is painted in white, anthracite and champagne, while the rotating illuminated structure can be glossy anodized or painted matte white.

The LED or halogen uplight source is integrated in the upper part of the structure and it creates a widespread light, while a fluorescent or LED source is integrated in the main structure for a widespread and adjustable light.

The power supply is integrated for both versions while the dimmer is on the cable in the LED + LED version and integrated in the DTW version.



LAMPING

SourceLED boardTotal power2x16WEmissiondouble

Switching dimmable, DALI/push, mono switch

Tension 230V Color temperature 3000K

Luminous flux 3600lm (source luminous flux)

Typ CRI 85
Energy class A+
IP class 40

Materials aluminium + PMMA

Notes orientable, anthracite RAL7016, champagne RAL9007

Net lamp weight 3,5 kg

Codes Structure/Diffuser


ARA LWW 32 white/white
ARA LWL 32 white/polished
ARA LXL 32 anthracite/polished
ARA LDL 32 champagne/polished


PACKAGE

Package 01 Dimension: 80x30x19 cm / Gross weight: 4,5 kg

Certificazioni

CE ERI IP40 LA





LAMPING

SourceLED boardTotal power2x8WEmissiondoubleSwitchingmono switchTension110/230VColor temperature3000K

Luminous flux 1300lm (source luminous flux)

Typ CRI 85
Energy class A+
IP class 40

Materials aluminium + PMMA

Notes orientable diffuser, anthracite RAL7016, champagne

RAL9007

Net lamp weight 1 kg

Codes Structure/Diffuser

ARA LWW 35 white/white
ARA LWL 35 white/polished
ARA LXL 35 anthracite/polished
ARA LDL 35 champagne/polished

PACKAGE

Package 01 Dimension: 18x38x12 cm / Gross weight: 1,5 kg

Certificazioni



