


DESK MATRIX

With the Desk Matrix, our Linescapes System can now be configured in rectangular and square shapes, both vertically and horizontally. Sleek continuous light lines with an infinite number of constellations to fit any table size or interior design need. Available in 2700K or 3000K CCT, black or white finish. Compositions come fully equipped to work right out of the box, 1-10 V dimmable driver and its case included.



DESK MATRIX | 44X44CM - HORIZONTAL 2700K

LAMPING

Source	Linear LED
Total power	24W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	1340lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW2 51
LSH LN2 51

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg
Package 03	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg

Certificazioni



DESK MATRIX | 44X44CM - VERTICAL 2700K

LAMPING

Source	Linear LED
Total power	24W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	1340lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW2 51
LSV LN2 51

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg
Package 03	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg

Certificazioni



DESK MATRIX | 44X44CM - HORIZONTAL 3000K

LAMPING

Source	Linear LED
Total power	24W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	1340lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW3 51
LSH LN3 51

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg
Package 03	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg

Certificazioni



DESK MATRIX | 44X44CM - VERTICAL 3000K

LAMPING

Source	Linear LED
Total power	24W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	1340lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW3 51
LSV LN3 51

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg
Package 03	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg

Certificazioni



DESK MATRIX | 64X44CM - HORIZONTAL 2700K

LAMPING

Source	Linear LED
Total power	31W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	1870lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW2 55
LSH LN2 55

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg
Package 03	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg

Certificazioni



DESK MATRIX | 64X44CM - VERTICAL 2700K

LAMPING

Source	Linear LED
Total power	31W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	1870lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW2 55
LSV LN2 55

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg
Package 03	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg

Certificazioni



DESK MATRIX | 64X44CM - HORIZONTAL 3000K

LAMPING

Source	Linear LED
Total power	31W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	1870lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW3 55
LSH LN3 55

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg
Package 03	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg

Certificazioni



DESK MATRIX | 64X44CM - VERTICAL 3000K

LAMPING

Source	Linear LED
Total power	31W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	1870lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW3 55
LSV LN3 55

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg
Package 03	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg

Certificazioni



DESK MATRIX | 114X44CM - HORIZONTAL 2700K

LAMPING

Source	Linear LED
Total power	50W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	2920lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW2 58
LSH LN2 58

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg
Package 03	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg

Certificazioni



DESK MATRIX | 114X44CM - VERTICAL 2700K

LAMPING

Source	Linear LED
Total power	50W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	2920lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW2 58
LSV LN2 58

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg
Package 03	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg

Certificazioni



DESK MATRIX | 114X44CM - HORIZONTAL 3000K

LAMPING

Source	Linear LED
Total power	50W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	2920lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW3 58
LSH LN3 58

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg
Package 03	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg

Certificazioni



DESK MATRIX | 114X44CM - VERTICAL 3000K

LAMPING

Source	Linear LED
Total power	50W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	2920lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW3 58
LSV LN3 58

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg
Package 03	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg

Certificazioni



DESK MATRIX | 178X44CM - HORIZONTAL 2700K

LAMPING

Source	Linear LED
Total power	78W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	4200lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW2 5A
LSH LN2 5A

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg
Package 03	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg

Certificazioni



DESK MATRIX | 178X44CM - VERTICAL 2700K

LAMPING

Source	Linear LED
Total power	78W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	4200lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW2 5A
LSV LN2 5A

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg
Package 03	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg

Certificazioni



DESK MATRIX | 178X44CM - HORIZONTAL 3000K

LAMPING

Source	Linear LED
Total power	78W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	4200lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW3 5A
LSH LN3 5A

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg
Package 03	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg

Certificazioni



DESK MATRIX | 178X44CM - VERTICAL 3000K

LAMPING

Source	Linear LED
Total power	78W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	4200lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW3 5A
LSV LN3 5A

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg
Package 03	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg

Certificazioni



DESK MATRIX | 64X64CM - HORIZONTAL 2700K

LAMPING

Source	Linear LED
Total power	38W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	2400lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW2 52
LSH LN2 52

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg
Package 03	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg

Certificazioni



DESK MATRIX | 64X64CM - VERTICAL 2700K

LAMPING

Source	Linear LED
Total power	38W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	2400lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW2 52
LSV LN2 52

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg
Package 03	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg

Certificazioni



DESK MATRIX | 64X64CM - HORIZONTAL 3000K

LAMPING

Source	Linear LED
Total power	38W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	2400lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW3 52
LSH LN3 52

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg
Package 03	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg

Certificazioni



DESK MATRIX | 64X64CM - VERTICAL 3000K

LAMPING

Source	Linear LED
Total power	38W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	2400lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW3 52
LSV LN3 52

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg
Package 03	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg

Certificazioni



DESK MATRIX | 114X64CM - HORIZONTAL 2700K

LAMPING

Source	Linear LED
Total power	57W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	3450lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW2 56
LSH LN2 56

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg
Package 03	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg

Certificazioni



DESK MATRIX | 114X64CM - VERTICAL 2700K

LAMPING

Source	Linear LED
Total power	57W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	3450lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW2 56
LSV LN2 56

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg
Package 03	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg

Certificazioni



DESK MATRIX | 114X64CM - HORIZONTAL 3000K

LAMPING

Source	Linear LED
Total power	57W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	3450lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW3 56
LSH LN3 56

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg
Package 03	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg

Certificazioni



DESK MATRIX | 114X64CM - VERTICAL 3000K

LAMPING

Source	Linear LED
Total power	57W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	3450lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW3 56
LSV LN3 56

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x42 cm / Net weight: 0,3 kg / Gross weight: 0,5 kg
Package 03	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg

Certificazioni



DESK MATRIX | 178X64CM - HORIZONTAL 2700K

LAMPING

Source	Linear LED
Total power	85W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	4730lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW2 59
LSH LN2 59

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg
Package 03	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg

Certificazioni



DESK MATRIX | 178X64CM - VERTICAL 2700K

LAMPING

Source	Linear LED
Total power	85W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	4730lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW2 59
LSV LN2 59

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg
Package 03	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg

Certificazioni



DESK MATRIX | 178X64CM - HORIZONTAL 3000K

LAMPING

Source	Linear LED
Total power	85W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	4730lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW3 59
LSH LN3 59

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg
Package 03	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg

Certificazioni



DESK MATRIX | 178X64CM - VERTICAL 3000K

LAMPING

Source	Linear LED
Total power	85W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	4730lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW3 59
LSV LN3 59

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x66 cm / Net weight: 0,5 kg / Gross weight: 0,8 kg
Package 03	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg

Certificazioni



DESK MATRIX | 114X114CM - HORIZONTAL 2700K

LAMPING

Source	Linear LED
Total power	76W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	4500lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW2 53
LSH LN2 53

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg
Package 03	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg

Certificazioni



DESK MATRIX | 114X114CM - VERTICAL 2700K

LAMPING

Source	Linear LED
Total power	76W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	4500lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW2 53
LSV LN2 53

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg
Package 03	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg

Certificazioni



DESK MATRIX | 114X114CM - HORIZONTAL 3000K

LAMPING

Source	Linear LED
Total power	76W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	4500lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW3 53
LSH LN3 53

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg
Package 03	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg

Certificazioni



DESK MATRIX | 114X114CM - VERTICAL 3000K

LAMPING

Source	Linear LED
Total power	76W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	4500lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW3 53
LSV LN3 53

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg
Package 03	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg

Certificazioni



DESK MATRIX | 178X114CM - HORIZONTAL 2700K

LAMPING

Source	Linear LED
Total power	104W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	5780lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW2 57
LSH LN2 57

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg
Package 03	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg

Certificazioni



DESK MATRIX | 178X114CM - VERTICAL 2700K

LAMPING

Source	Linear LED
Total power	104W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	5780lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW2 57
LSV LN2 57

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg
Package 03	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg

Certificazioni



DESK MATRIX | 178X114CM - HORIZONTAL 3000K

LAMPING

Source	Linear LED
Total power	104W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	5780lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW3 57
LSH LN3 57

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg
Package 03	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg

Certificazioni



DESK MATRIX | 178X114CM - VERTICAL 3000K

LAMPING

Source	Linear LED
Total power	104W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	5780lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW3 57
LSV LN3 57

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x115 cm / Net weight: 1 kg / Gross weight: 1,5 kg
Package 03	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg

Certificazioni



DESK MATRIX | 178X178CM - HORIZONTAL 2700K

LAMPING

Source	Linear LED
Total power	132W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	7060lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW2 54
LSH LN2 54

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg
Package 03	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg

Certificazioni



DESK MATRIX | 178X178CM - VERTICAL 2700K

LAMPING

Source	Linear LED
Total power	132W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	2700K
Luminous flux	7060lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW2 54
LSV LN2 54

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg
Package 03	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg

Certificazioni



DESK MATRIX | 178X178CM - HORIZONTAL 3000K

LAMPING

Source	Linear LED
Total power	132W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	7060lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSH LW3 54
LSH LN3 54

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg
Package 03	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg

Certificazioni



DESK MATRIX | 178X178CM - VERTICAL 3000K

LAMPING

Source	Linear LED
Total power	132W
Emission	diffused, orientable 360°
Switching	dimnable 1-10V
Tension	110/240V
Color temperature	3000K
Luminous flux	7060lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC + ABS
Notes	driver included, adjustable cable length max 3m

Codes

LSV LW3 54
LSV LN3 54

Structure

white
black

PACKAGE

Package 01	Dimension: 16x11x40 cm / Net weight: 2,6 kg / Gross weight: 3 kg
Package 02	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg
Package 03	Dimension: 9x5x182 cm / Net weight: 1,8 kg / Gross weight: 2,5 kg

Certificazioni

