
Discovery Vertical 100 - Black

Ernesto Gismondi



IP20 (≟) 🔣 (€ Dimmerable: +0-



LUMINAIRE

- Watt: 60W
- Delivered lumen output: 4859Im
- CCT: **3000K**
- Efficiency: 62%
- Efficacy: 80.99lm/W
- CRI: 90
- Dimmable Typology: Push/DALI

Notes

Respects the UGR workplace standards in any position in which it is installed.

The APP driver can not be controlled by DALI dimming system and viceversa.

DESCRIPTION

Discovery is an unobtrusive, utterly absent and immaterial element. Its volume is only perceived when switched on, thanks to the light that outlines the central emitting surface. The result is a uniform light, ideal for working environments. The company's great optoelectronic skills, combined with a thorough culture of design and with technological know-how, produces a perfectly all-purpose and surprising solution, which translates innovation into emotional perception.

FEATURES

- Product Code: 1993030A
- Colour: Black
- Installation: Suspension
- Material: Technopolymer, aluminium
- Series: Design Collection
- Environment: Indoor
- design by: Ernesto Gismondi

DIMENSIONS

- Width: **17 mm**
- Diameter: 996 mm
- Base Diameter: 206 mm
- Max Height from ceiling: 2400 mm

- Category: Led
- Number: **1**
- Watt: 56W
- Delivered lumen output: 7777lm
- Color temperature (K): 3000K
- CRI: 90
- Color Tolerance: MacAdam 3SDCM
- Service Life: L90 (6K) 50000h




Discovery Vertical 100 - Black - App Compatible

Ernesto Gismondi



IP20 🛓 🏽 C E Dimmerable: +O-



LUMINAIRE

- Watt: 60W
- Delivered lumen output: 4859lm
- CCT: **3000K**
- Efficiency: **62%**
- Efficacy: 80.99lm/W
- CRI: 90
- Dimmable Typology: Push & APP

Notes

Respects the UGR workplace standards in any position in which it is installed. The APP driver can not be controlled by DALI dimming system and viceversa. DESCRIPTION

Discovery is an unobtrusive, utterly absent and immaterial element. Its volume is only perceived when switched on, thanks to the light that outlines the central emitting surface. The result is a uniform light, ideal for working environments. The company's great optoelectronic skills, combined with a thorough culture of design and with technological know-how, produces a perfectly all-purpose and surprising solution, which translates innovation into emotional perception.

FEATURES

- Product Code: 1993030APP
- Colour: Black
- Installation: Suspension
- Material: Technopolymer, aluminium
- Series: Design Collection
- Environment: Indoor
- design by: Ernesto Gismondi

DIMENSIONS

- Width: **17 mm**
- Diameter: 996 mm
- Base Diameter: 206 mm
- Max Height from ceiling: 2400 mm

- Category: **Led**
- Number: **1**
- Watt: 56W
- Delivered lumen output: 7777Im
- Color temperature (K): **3000K**
- CRI: 90
- Color Tolerance: MacAdam 3SDCM
- Service Life: L90 (6K) 50000h



PRODUCT DATA SHEET

Accessories



Device for switching and controlling Artemide App products. Max N.3 inputs for external push buttons. Max 1m distance. Mains power supply required. To be installed inside flush mounting boxes or junction boxes. DV1080APP




Discovery Vertical 100 - Bronze

Ernesto Gismondi



IP20 (≟) 🔣 (€ Dimmerable: +0-



LUMINAIRE

- Watt: 60W
- Delivered lumen output: 4859lm
- CCT: **3000K**
- Efficiency: 62%
- Efficacy: 80.99lm/W
- CRI: 90
- Dimmable Typology: Push/DALI

Notes

Respects the UGR workplace standards in any position in which it is installed.

The APP driver can not be controlled by DALI dimming system and viceversa.

DESCRIPTION

Discovery is an unobtrusive, utterly absent and immaterial element. Its volume is only perceived when switched on, thanks to the light that outlines the central emitting surface. The result is a uniform light, ideal for working environments. The company's great optoelectronic skills, combined with a thorough culture of design and with technological know-how, produces a perfectly all-purpose and surprising solution, which translates innovation into emotional perception.

FEATURES

- Product Code: **1993060A**
- Colour: Bronze
- Installation: Suspension
- Material: Technopolymer, aluminium
- Series: Design Collection
- Environment: Indoor
- design by: Ernesto Gismondi

DIMENSIONS

- Width: **17 mm**
- Diameter: 996 mm
- Base Diameter: 206 mm
- Max Height from ceiling: 2400 mm

- Category: Led
- Number: **1**
- Watt: 56W
- Delivered lumen output: 7777lm
- Color temperature (K): 3000K
- CRI: **90**
- Color Tolerance: MacAdam 3SDCM
- Service Life: L90 (6K) 50000h




Discovery Vertical 100 - Bronze - App Compatible

Ernesto Gismondi



IP20 🖶 🏽 C E Dimmerable: +O-



LUMINAIRE

- Watt: 60W
- Delivered lumen output: 4859lm
- CCT: **3000K**
- Efficiency: **62%**
- Efficacy: 80.99lm/W
- CRI: 90
- Dimmable Typology: Push & APP

Notes

Respects the UGR workplace standards in any position in which it is installed. The APP driver can not be controlled by DALI dimming system and viceversa. DESCRIPTION

Discovery is an unobtrusive, utterly absent and immaterial element. Its volume is only perceived when switched on, thanks to the light that outlines the central emitting surface. The result is a uniform light, ideal for working environments. The company's great optoelectronic skills, combined with a thorough culture of design and with technological know-how, produces a perfectly all-purpose and surprising solution, which translates innovation into emotional perception.

FEATURES

- Product Code: 1993060APP
- Colour: Bronze
- Installation: Suspension
- Material: Technopolymer, aluminium
- Series: Design Collection
- Environment: Indoor
- design by: Ernesto Gismondi

DIMENSIONS

- Width: **17 mm**
- Diameter: 996 mm
- Base Diameter: 206 mm
- Max Height from ceiling: 2400 mm

- Category: **Led**
- Number: **1**
- Watt: 56W
- Delivered lumen output: 7777Im
- Color temperature (K): **3000K**
- CRI: 90
- Color Tolerance: MacAdam 3SDCM
- Service Life: L90 (6K) 50000h



PRODUCT DATA SHEET

Accessories



Device for switching and controlling Artemide App products. Max N.3 inputs for external push buttons. Max 1m distance. Mains power supply required. To be installed inside flush mounting boxes or junction boxes. DV1080APP




Discovery Vertical 100 - Satinized aluminium

Ernesto Gismondi



IP20 🖶 🏽 C E Dimmerable: +O-



LUMINAIRE

- Watt: 60W
- Delivered lumen output: 4859lm
- CCT: **3000K**
- Efficiency: **62%**
- Efficacy: 80.99lm/W
- CRI: 90
- Dimmable Typology: Push/DALI

Notes

viceversa

Respects the UGR workplace standards in any position in which it is installed. The APP driver can not be controlled by DALI dimming system and DESCRIPTION

Discovery is an unobtrusive, utterly absent and immaterial element. Its volume is only perceived when switched on, thanks to the light that outlines the central emitting surface. The result is a uniform light, ideal for working environments. The company's great optoelectronic skills, combined with a thorough culture of design and with technological know-how, produces a perfectly all-purpose and surprising solution, which translates innovation into emotional perception.

FEATURES

- Product Code: **1993010A**
- Colour: Satinized aluminium
- Installation: Suspension
- Material: Technopolymer, aluminium
- Series: Design Collection
- Environment: Indoor
- design by: Ernesto Gismondi

DIMENSIONS

- Width: **17 mm**
- Diameter: 996 mm
- Base Diameter: 206 mm
- Max Height from ceiling: 2400 mm

- Category: **Led**
- Number: **1**
- Watt: 56W
- Delivered lumen output: 7777lm
- Color temperature (K): 3000K
- CRI: 90
- Color Tolerance: MacAdam 3SDCM
- Service Life: L90 (6K) 50000h




Discovery Vertical 100 - Satinized aluminium - App Compatible

Ernesto Gismondi



IP20 🛓 🔣 🧲 Dimmerable: +O-



LUMINAIRE

- Watt: 60W
- Delivered lumen output: 4859lm
- CCT: **3000K**
- Efficiency: **62%**
- Efficacy: 80.99lm/W
- CRI: 90
- Dimmable Typology: Push & APP

Notes

Respects the UGR workplace standards in any position in which it is installed. The APP driver can not be controlled by DALI dimming system and viceversa.

DESCRIPTION

Discovery is an unobtrusive, utterly absent and immaterial element. Its volume is only perceived when switched on, thanks to the light that outlines the central emitting surface. The result is a uniform light, ideal for working environments. The company's great optoelectronic skills, combined with a thorough culture of design and with technological know-how, produces a perfectly all-purpose and surprising solution, which translates innovation into emotional perception.

FEATURES

- Product Code: 1993010APP
- Colour: Satinized aluminium
- Installation: Suspension
- Material: Technopolymer, aluminium
- Series: Design Collection
- Environment: Indoor
- design by: Ernesto Gismondi

DIMENSIONS

- Width: **17 mm**
- Diameter: 996 mm
- Base Diameter: 206 mm
- Max Height from ceiling: 2400 mm

- Category: **Led**
- Number: **1**
- Watt: 56W
- Delivered lumen output: 7777lm
- Color temperature (K): 3000K
- CRI: 90
- Color Tolerance: MacAdam 3SDCM
- Service Life: L90 (6K) 50000h



PRODUCT DATA SHEET

Accessories



Device for switching and controlling Artemide App products. Max N.3 inputs for external push buttons. Max 1m distance. Mains power supply required. To be installed inside flush mounting boxes or junction boxes. DV1080APP

