


# Eggboard Matrix - 800x800 - Direct - 3000K - Green

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **16W**
- Delivered lumen output: **1491lm**
- CCT: **3000K**
- Efficiency: **70%**
- Efficacy: **93.20lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3102W51**
- Colour: **Green**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **795 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 9.2**

# Eggboard Matrix - 800x800 - Direct - 3000K - Grey

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **16W**
- Delivered lumen output: **1491lm**
- CCT: **3000K**
- Efficiency: **70%**
- Efficacy: **93.20lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3102W91**
- Colour: **Grey**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **795 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 9.2**

# Eggboard Matrix - 800x800 - Direct - 3000K - White

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **16W**
- Delivered lumen output: **1491lm**
- CCT: **3000K**
- Efficiency: **70%**
- Efficacy: **93.20lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3102W21**
- Colour: **White Cream**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **795 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 9.2**

# Eggboard Matrix - 800x800 - Direct - 4000K - Green

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **16W**
- Delivered lumen output: **1446lm**
- CCT: **4000K**
- Efficiency: **71%**
- Efficacy: **90.37lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3102N51**
- Colour: **Green**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **795 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 9.2**

# Eggboard Matrix - 800x800 - Direct - 4000K - Grey

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **16W**
- Delivered lumen output: **1446lm**
- CCT: **4000K**
- Efficiency: **71%**
- Efficacy: **90.37lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3102N91**
- Colour: **Grey**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **795 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 9.2**

# Eggboard Matrix - 800x800 - Direct - 4000K - White

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **16W**
- Delivered lumen output: **1446lm**
- CCT: **4000K**
- Efficiency: **71%**
- Efficacy: **90.37lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3102N21**
- Colour: **White Cream**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **795 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 9.2**

# Eggboard Matrix - 800x800 - Direct + Indirect - 3000K - Green

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **46W**
- Delivered lumen output: **4035lm**
- CCT: **3000K**
- Efficiency: **74%**
- Efficacy: **87.71lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR

## FEATURES

- Product Code: **M3103W51**
- Colour: **Green**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **795 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 9.7**

# Eggboard Matrix - 800x800 - Direct + Indirect - 3000K - Grey

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **46W**
- Delivered lumen output: **4035lm**
- CCT: **3000K**
- Efficiency: **74%**
- Efficacy: **87.71lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3103W91**
- Colour: **Grey**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS

- Length: **795 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 9.7**




# Eggboard Matrix - 800x800 - Direct + Indirect - 3000K - White

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **46W**
- Delivered lumen output: **4035lm**
- CCT: **3000K**
- Efficiency: **74%**
- Efficacy: **87.71lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR

## FEATURES

- Product Code: **M3103W21**
- Colour: **White Cream**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **795 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 9.7**

# Eggboard Matrix - 800x800 - Direct + Indirect - 4000K - Green

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **46W**
- Delivered lumen output: **4107lm**
- CCT: **4000K**
- Efficiency: **75%**
- Efficacy: **89.29lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3103N51**
- Colour: **Green**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **795 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 9.7**

# Eggboard Matrix - 800x800 - Direct + Indirect - 4000K - Grey

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **46W**
- Delivered lumen output: **4107lm**
- CCT: **4000K**
- Efficiency: **75%**
- Efficacy: **89.29lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR

## FEATURES

- Product Code: **M3103N91**
- Colour: **Grey**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **795 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 9.7**

# Eggboard Matrix - 800x800 - Direct + Indirect - 4000K - White

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **46W**
- Delivered lumen output: **4107lm**
- CCT: **4000K**
- Efficiency: **75%**
- Efficacy: **89.29lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES


- Product Code: **M3103N21**
- Colour: **White Cream**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **795 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 9.7**

# Eggboard Matrix - 1600x800 - Direct - 3000K - Green

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **31W**
- Delivered lumen output: **2982lm**
- CCT: **3000K**
- Efficiency: **70%**
- Efficacy: **96.20lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3100W51**
- Colour: **Green**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **1595 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 16.55**

# Eggboard Matrix - 1600x800 - Direct - 3000K - Grey

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **31W**
- Delivered lumen output: **2982lm**
- CCT: **3000K**
- Efficiency: **70%**
- Efficacy: **96.20lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3100W91**
- Colour: **Grey**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **1595 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 16.55**

# Eggboard Matrix - 1600x800 - Direct - 3000K - White

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **31W**
- Delivered lumen output: **2982lm**
- CCT: **3000K**
- Efficiency: **70%**
- Efficacy: **96.20lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES


- Product Code: **M3100W21**
- Colour: **White Cream**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **1595 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 16.55**

# Eggboard Matrix - 1600x800 - Direct - 4000K - Green

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **31W**
- Delivered lumen output: **2892lm**
- CCT: **4000K**
- Efficiency: **71%**
- Efficacy: **93.28lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3100N51**
- Colour: **Green**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS

- Length: **1595 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 16.55**




# Eggboard Matrix - 1600x800 - Direct - 4000K - Grey

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **31W**
- Delivered lumen output: **2892lm**
- CCT: **4000K**
- Efficiency: **71%**
- Efficacy: **93.28lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3100N91**
- Colour: **Grey**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **1595 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 16.55**

# Eggboard Matrix - 1600x800 - Direct - 4000K - White

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **31W**
- Delivered lumen output: **2892lm**
- CCT: **4000K**
- Efficiency: **71%**
- Efficacy: **93.28lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3100N21**
- Colour: **White Cream**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **1595 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 16.55**

# Eggboard Matrix - 1600x800 - Direct + Indirect - 3000K - Green

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **89W**
- Delivered lumen output: **7945lm**
- CCT: **3000K**
- Efficiency: **74%**
- Efficacy: **89.27lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3101W51**
- Colour: **Green**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **1595 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 17.68**

# Eggboard Matrix - 1600x800 - Direct + Indirect - 3000K - Grey

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **89W**
- Delivered lumen output: **7945lm**
- CCT: **3000K**
- Efficiency: **74%**
- Efficacy: **89.27lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3101W91**
- Colour: **Grey**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **1595 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 17.68**

# Eggboard Matrix - 1600x800 - Direct + Indirect - 3000K - White

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **89W**
- Delivered lumen output: **7945lm**
- CCT: **3000K**
- Efficiency: **74%**
- Efficacy: **89.27lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3101W21**
- Colour: **White Cream**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **1595 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 17.68**

# Eggboard Matrix - 1600x800 - Direct + Indirect - 4000K - Green

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **89W**
- Delivered lumen output: **8082lm**
- CCT: **4000K**
- Efficiency: **74%**
- Efficacy: **90.81lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3101N51**
- Colour: **Green**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **1595 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 17.68**

# Eggboard Matrix - 1600x800 - Direct + Indirect - 4000K - Grey

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **89W**
- Delivered lumen output: **8082lm**
- CCT: **4000K**
- Efficiency: **74%**
- Efficacy: **90.81lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3101N91**
- Colour: **Grey**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS


- Length: **1595 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 17.68**

# Eggboard Matrix - 1600x800 - Direct + Indirect - 4000K - White

Progetto CMR - Giacobone & Roj



IP20   Dimmerable: 



## LUMINAIRE

- Watt: **89W**
- Delivered lumen output: **8082lm**
- CCT: **4000K**
- Efficiency: **74%**
- Efficacy: **90.81lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

## Notes

UGR<19

## DESCRIPTION

Suspension appliance with sound-absorbing properties ensured by a peculiar sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material. Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener. Direct emission: a board with a high number of low-voltage LEDs with rotosymmetrical reflectors ensures maximum lighting comfort. Colour temperature 3000K or 4000 K. Complies with the norms on office activities that involve the use of video-terminals (UGR)

## FEATURES

- Product Code: **M3101N21**
- Colour: **White Cream**
- Installation: **Suspension**
- Series: **Architectural Indoor**
- design by: **Progetto CMR - Giacobone & Roj**

## DIMENSIONS

- Length: **1595 mm**
- Width: **795 mm**
- Height: **250 mm**
- Weight: **kg 17.68**