# Everything 80 - Round - Trim - Adj - 28° 2700K - Black trim / Black deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 851lm

CCT: **2700K**Efficiency: **64%** 

- Efficacy: 65.48lm/W

- CRI: **90** 

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M326115** 

- Colour: Black trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: LedNumber: 1

Watt: **13W** 

Color temperature (K): 2700K
Color Tolerance: MacAdam 3SDCM
Service Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 28° 2700K - Black trim / Polished metal deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance. with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

#### IP20/44 (iii)



#### **LUMINAIRE**

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 940lm

- CCT: 2700K - Efficiency: 71% - Efficacy: 72.33lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M331215** 

- Colour: Black trim / Polished metal deflector

- Installation: Recessed - Material: aluminium

- Series: Architectural Indoor - design by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

- Cutout diameter: 69 mm - Recessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

- Weight: **kg 0.24** - Glow Wire Test: 850°

- Hole in false ceiling: **Thickness 1mm - 25mm** 

#### **SOURCES INCLUDED**

- Category: Led - Number: 1 - Watt: 13W

- Color temperature (K): 2700K - Color Tolerance: MacAdam 3SDCM

- Service Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



# Everything 80 - Round - Trim - Adj - 28° 2700K - Silver trim / Black deflector


## Ernesto Gismondi



## **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 851lm

CCT: **2700K**Efficiency: **64%** 

- Efficacy: **65.48lm/W** 

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M326165** 

- Colour: Silver trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: **Led**Number: **1** 

Watt: **13W** 

Color temperature (K): 2700K
Color Tolerance: MacAdam 3SDCM
Service Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



# Everything 80 - Round - Trim - Adj - 28° 2700K - White trim / Black deflector


## Ernesto Gismondi



### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 851lm

CCT: **2700K**Efficiency: **64%** 

- Efficacy: **65.48lm/W** 

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M326125** 

- Colour: White trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: **Led**Number: **1** 

- Watt: **13W** 

Color temperature (K): 2700K
Color Tolerance: MacAdam 3SDCM
Service Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 28° 2700K - White trim / Polished metal deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance. with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

#### IP20/44 (iii)



#### **LUMINAIRE**

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 940lm

- CCT: 2700K - Efficiency: 71% - Efficacy: 72.33lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M331225** 

- Colour: White trim / Polished metal deflector

- Installation: **Recessed** - Material: aluminium

- Series: Architectural Indoor - design by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

- Cutout diameter: 69 mm - Recessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

- Weight: **kg 0.24** - Glow Wire Test: 850°

- Hole in false ceiling: **Thickness 1mm - 25mm** 

#### **SOURCES INCLUDED**

- Category: Led - Number: 1 - Watt: 13W

- Color temperature (K): 2700K - Color Tolerance: MacAdam 3SDCM - Service Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



# Everything 80 - Round - Trim - Adj - 28° 2700K - White trim / White deflector


## Ernesto Gismondi



## **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

Voltage: 220-240 V

- Delivered lumen output: 1007lm

CCT: **2700K**Efficiency: **76%** 

- Efficacy: 77.45lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M325825** 

- Colour: White trim / White deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

Color temperature (K): 2700K
Color Tolerance: MacAdam 3SDCM
Service Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



# Everything 80 - Round - Trim - Adj - 28° 3000K - Black trim / Black deflector


## Ernesto Gismondi



### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 890lm

CCT: **3000K**Efficiency: **64%** 

- Efficacy: 68.43lm/W

- CRI: **90** 

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M251815** 

- Colour: Black trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

- Color temperature (K): **3000K** 

- CRI: **90** 

Color Tolerance: MacAdam 3SDCMService Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 28° 3000K - Black trim / Polished metal deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

#### IP20/44 (iii)



#### **LUMINAIRE**

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 983Im

- CCT: 3000K - Efficiency: 71% - Efficacy: **75.59lm/W** 

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M278815** 

- Colour: Black trim / Polished metal deflector

- Installation: Recessed - Material: aluminium

- Series: Architectural Indoor - design by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

- Cutout diameter: 69 mm - Recessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

- Weight: **kg 0.24** - Glow Wire Test: 850°

- Hole in false ceiling: **Thickness 1mm - 25mm** 

#### **SOURCES INCLUDED**

- Category: Led - Number: 1 - Watt: 13W

- Color temperature (K): 3000K

- CRI: 90

- Color Tolerance: MacAdam 3SDCM - Service Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



# Everything 80 - Round - Trim - Adj - 28° 3000K - Silver trim / Black deflector


## Ernesto Gismondi



### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

Voltage: 220-240 V

- Delivered lumen output: 890lm

CCT: **3000K**Efficiency: **64%** 

- Efficacy: 68.43lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M251865** 

- Colour: Silver trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

- Color temperature (K): **3000K** 

- CRI: **90** 

Color Tolerance: MacAdam 3SDCMService Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



# Everything 80 - Round - Trim - Adj - 28° 3000K - White trim / Black deflector


## Ernesto Gismondi



### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 890lm

– CCT: **3000K**– Efficiency: **64%** 

- Efficacy: 68.43lm/W

- CRI: **90** 

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M251825** 

- Colour: White trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

- Color temperature (K): **3000K** 

- CRI: **90** 

Color Tolerance: MacAdam 3SDCMService Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 28° 3000K - White trim / Polished metal deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

### IP20/44 (iii)



#### **LUMINAIRE**

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 983Im

- CCT: 3000K - Efficiency: 71% - Efficacy: **75.59lm/W** 

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M278825** 

- Colour: White trim / Polished metal deflector

- Installation: Recessed - Material: aluminium

- Series: Architectural Indoor - design by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

- Cutout diameter: 69 mm - Recessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

- Weight: **kg 0.24** - Glow Wire Test: 850°

- Hole in false ceiling: **Thickness 1mm - 25mm** 

#### **SOURCES INCLUDED**

- Category: Led - Number: 1

- Watt: 13W

- Color temperature (K): 3000K

- CRI: 90

- Color Tolerance: MacAdam 3SDCM - Service Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



# Everything 80 - Round - Trim - Adj - 28° 3000K - White trim / White deflector


## Ernesto Gismondi



### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 1052lm

CCT: **3000K**Efficiency: **76%** 

- Efficacy: 80.94lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M251225** 

- Colour: White trim / White deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: **Led**Number: **1** 

- Watt · **13W** 

- Color temperature (K): 3000K

- CRI: **90** 

Color Tolerance: MacAdam 3SDCMService Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



# Everything 80 - Round - Trim - Adj - 46° 2700K - Black trim / Black deflector


## Ernesto Gismondi



### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 630lm

CCT: **2700K**Efficiency: **47%** 

- Efficacy: 48.49lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M326215** 

- Colour: Black trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: **Led**Number: **1** 

- Watt: **13W** 

Color temperature (K): 2700K
Color Tolerance: MacAdam 3SDCM
Service Life: L80 (9K) 50000h




NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



# Everything 80 - Round - Trim - Adj - 46° 2700K - Black trim / Polished metal deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

### IP20/44 (II)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 854lm

- CCT: **2700K**- Efficiency: **64%**- Efficacy: **65 68 m**/

Efficacy: **65.68lm/W** 

- CRI: **90** 

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M331315** 

- Colour: Black trim / Polished metal deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: **Thickness 1mm - 25mm** 

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

Color temperature (K): 2700K
Color Tolerance: MacAdam 3SDCM
Service Life: L80 (9K) 50000h

Service Line. **Loo (9K) Socioli** 



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



# Everything 80 - Round - Trim - Adj - 46° 2700K - Silver trim / Black deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 630lm

CCT: **2700K**Efficiency: **47%** 

- Efficacy: 48.49lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: M326265

- Colour: Silver trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

Color temperature (K): 2700KColor Tolerance: MacAdam 3SDCM

- Service Life: **L80 (9K) 50000h** 



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



# Everything 80 - Round - Trim - Adj - 46° 2700K - White trim / Black deflector


## Ernesto Gismondi



## **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

– Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 630lm

CCT: **2700K**Efficiency: **47%** 

- Efficacy: 48.49lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M326225** 

- Colour: White trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

Color temperature (K): 2700K
Color Tolerance: MacAdam 3SDCM
Service Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 46° 2700K - White trim / Polished metal deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance. with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

### IP20/44 (iii)



#### **LUMINAIRE**

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 854lm

- CCT: 2700K - Efficiency: 64%

- Efficacy: 65.68lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M331325** 

- Colour: White trim / Polished metal deflector

- Installation: **Recessed** - Material: aluminium

- Series: Architectural Indoor - design by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

- Cutout diameter: 69 mm - Recessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

- Weight: **kg 0.24** - Glow Wire Test: 850°

- Hole in false ceiling: **Thickness 1mm - 25mm** 

#### **SOURCES INCLUDED**

- Category: Led - Number: 1 - Watt: 13W

- Color temperature (K): 2700K - Color Tolerance: MacAdam 3SDCM

- Service Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



# Everything 80 - Round - Trim - Adj - 46° 2700K - White trim / White deflector


## Ernesto Gismondi



## **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

Voltage: 220-240 V

- Delivered lumen output: 986lm

CCT: **2700K**Efficiency: **74%** 

- Efficacy: 75.81lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M325925** 

- Colour: White trim / White deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

- Color temperature (k

Color temperature (K): 2700K
Color Tolerance: MacAdam 3SDCM
Service Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 46° 3000K - Black trim / Black deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 659lm

CCT: **3000K**Efficiency: **47%** 

- Efficacy: 50.68lm/W

- CRI: **90** 

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M252015** 

- Colour: Black trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: **Led**Number: **1** 

- Watt · **13W** 

- Color temperature (K): 3000K

- CRI: **90** 



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



# Everything 80 - Round - Trim - Adj - 46° 3000K - Black trim / Polished metal deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

### IP20/44 (III)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 892lm

- CCT: **3000K**- Efficiency: **64%**- Efficacy: **68 64lm**()

- Efficacy: **68.64lm/W** 

- CRI: **90** 

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M279015** 

- Colour: Black trim / Polished metal deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### DIMENSIONS

- Diameter: 80 mm

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: **Thickness 1mm - 25mm** 

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

- Color temperature (K): 3000K

- CRI: 90



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 46° 3000K - Silver trim / Black deflector


## Ernesto Gismondi



## **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

Voltage: 220-240 V

- Delivered lumen output: 659lm

CCT: **3000K**Efficiency: **47%** 

- Efficacy: 50.68lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M252065** 

- Colour: Silver trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

- Color temperature (K): **3000K** 

- CRI: **90** 



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 46° 3000K - White trim / Black deflector


## Ernesto Gismondi



## **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 659lm

CCT: **3000K**Efficiency: **47%** 

- Efficacy: 50.68lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M252025** 

- Colour: White trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

Watt. 13W

- Color temperature (K): 3000K

- CRI: **90** 



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



# Everything 80 - Round - Trim - Adj - 46° 3000K - White trim / Polished metal deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

### IP20/44 (III)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 892lm

CCT: 3000KEfficiency: 64%Efficacy: 68.64lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M279025** 

- Colour: White trim / Polished metal deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: **Thickness 1mm - 25mm** 

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

- Color temperature (K): 3000K

- CRI: 90



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 46° 3000K - White trim / White deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 1030lm

CCT: **3000K**Efficiency: **74%** 

- Efficacy: 79.23lm/W

- CRI: **90** 

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M251425** 

- Colour: White trim / White deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

- Category: **Led** - Number: **1** 

- Watt · **13W** 

- Color temperature (K): 3000K

- CRI: **90** 



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 23° 2700K - Black trim / Black deflector


## Ernesto Gismondi



### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 834lm

- CCT: **2700K** - Efficiency: **63%** 

- Efficacy: 64.15lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M326015** 

- Colour: Black trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

Watt. 1344

Color temperature (K): 2700K
Color Tolerance: MacAdam 3SDCM
Service Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 23° 2700K - Black trim / Polished metal deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance. with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

#### IP20/44 (iii)



#### **LUMINAIRE**

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 1016lm

- CCT: 2700K - Efficiency: 76% - Efficacy: **78.16lm/W** 

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M331115** 

- Colour: Black trim / Polished metal deflector

- Installation: Recessed - Material: aluminium

- Series: Architectural Indoor - design by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

- Cutout diameter: 69 mm - Recessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

- Weight: **kg 0.24** - Glow Wire Test: 850°

- Hole in false ceiling: **Thickness 1mm - 25mm** 

#### **SOURCES INCLUDED**

- Category: Led - Number: 1 - Watt: 13W

- Color temperature (K): 2700K - Color Tolerance: MacAdam 3SDCM - Service Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 23° 2700K - Silver trim / Black deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

### IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 834lm

CCT: **2700K**Efficiency: **63%** 

- Efficacy: 64.15lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M326065** 

- Colour: Silver trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

Color temperature (K): 2700K
Color Tolerance: MacAdam 3SDCM
Service Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 23° 2700K - White trim / Black deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 834lm

CCT: **2700K**Efficiency: **63%** 

- Efficacy: 64.15lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M326025** 

- Colour: White trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

Color temperature (K): 2700KColor Tolerance: MacAdam 3SDCM

- Service Life: **L80 (9K) 50000h** 



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 23° 2700K - White trim / Polished metal deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance. with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

### IP20/44 (iii)



#### **LUMINAIRE**

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 1016lm

- CCT: 2700K - Efficiency: 76%

- Efficacy: **78.16lm/W** 

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M331125** 

- Colour: White trim / Polished metal deflector

- Installation: **Recessed** - Material: aluminium

- Series: Architectural Indoor - design by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

- Cutout diameter: 69 mm - Recessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

- Weight: **kg 0.24** - Glow Wire Test: 850°

- Hole in false ceiling: **Thickness 1mm - 25mm** 

#### **SOURCES INCLUDED**

- Category: Led - Number: 1 - Watt: 13W

- Color temperature (K): 2700K - Color Tolerance: MacAdam 3SDCM - Service Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 23° 2700K - White trim / White deflector


## Ernesto Gismondi



### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 994lm

CCT: **2700K**Efficiency: **75%** 

- Efficacy: 76.42lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M325725** 

- Colour: White trim / White deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

Color temperature (K): 2700K
Color Tolerance: MacAdam 3SDCM
Service Life: L80 (9K) 50000h



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 23° 3000K - Black trim / Black deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 872lm

CCT: **3000K**Efficiency: **63%** 

- Efficacy: 67.04lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M251615** 

- Colour: Black trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: **Led**Number: **1** 

- Watt · **13W** 

- Color temperature (K): 3000K

- CRI: **90** 



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 23° 3000K - Black trim / Polished metal deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

#### IP20/44 (iii)



#### **LUMINAIRE**

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 1062lm

- CCT: 3000K - Efficiency: 76% - Efficacy: 81.69lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M278615** 

- Colour: Black trim / Polished metal deflector

- Installation: Recessed - Material: aluminium

- Series: Architectural Indoor - design by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

- Cutout diameter: 69 mm - Recessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

- Weight: **kg 0.24** - Glow Wire Test: 850°

- Hole in false ceiling: **Thickness 1mm - 25mm** 

#### **SOURCES INCLUDED**

- Category: Led - Number: 1 - Watt: 13W

- Color temperature (K): 3000K

- CRI: 90



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 23° 3000K - Silver trim / Black deflector


## Ernesto Gismondi



### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 872lm

CCT: **3000K**Efficiency: **63%** 

- Efficacy: 67.04lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M251665** 

- Colour: Silver trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

- Color temperature (K): **3000K** 

- CRI: **90** 



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



## Everything 80 - Round - Trim - Adj - 23° 3000K - White trim / Black deflector


## Ernesto Gismondi



## DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

## IP20/44 (m)



#### LUMINAIRE

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 872lm

CCT: **3000K**Efficiency: **63%** 

- Efficacy: 67.04lm/W

- CRI: **90** 

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M251625** 

- Colour: White trim / Black deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

- Color temperature (K): **3000K** 

- CRI: **90** 



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE



# Everything 80 - Round - Trim - Adj - 23° 3000K - White trim / Polished metal deflector


## Ernesto Gismondi



#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

### IP20/44 (III)



#### **LUMINAIRE**

- Watt: **13W** 

- Voltage: 220-240 V

- Delivered lumen output: 1062lm

- CCT: **3000K** - Efficiency: **76%** 

- Efficacy: 81.69lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **FEATURES**

- Product Code: **M278625** 

- Colour: White trim / Polished metal deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: 80 mm

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: **Thickness 1mm - 25mm** 

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 13W

- Color temperature (K): 3000K

- CRI: 90



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE




## Everything 80 - Round - Trim - Adj - 23° 3000K - White trim / White deflector

## Ernesto Gismondi







#### LUMINAIRE

- Watt: **13W** 

Voltage: 220-240 V

- Delivered lumen output: 1038lm

CCT: **3000K**Efficiency: **75%** 

- Efficacy: 79.87lm/W

- CRI: 90

#### Notes

Driver 350mA SELV supplied separately.

#### **DESCRIPTION**

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

#### **FEATURES**

- Product Code: **M251025** 

- Colour: White trim / White deflector

Installation: RecessedMaterial: aluminium

Series: Architectural Indoordesign by: Ernesto Gismondi

#### **DIMENSIONS**

- Diameter: **80 mm** 

Cutout diameter: 69 mmRecessed depth: 115 mm

- Inclination: 30°

- Cutout shape: Rounded

Weight: kg 0.24Glow Wire Test: 850°

- Hole in false ceiling: Thickness 1mm - 25mm

#### **SOURCES INCLUDED**

Category: **Led**Number: **1** 

- Watt · **13W** 

- Color temperature (K): 3000K

- CRI: **90** 



NO IMAGE AVAILABLE DRIVER cc 15W 350mA 220-240 125 38 23 1max Non dimmable M077500

NO IMAGE

