


Everything 80 - Round - Trim - 46° 2700K - Black trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **630lm**
- CCT: **2700K**
- Efficiency: **47%**
- Efficacy: **48.49lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M326210**
- Colour: **Black trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 46° 2700K - Black trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **854lm**
- CCT: **2700K**
- Efficiency: **64%**
- Efficacy: **65.68lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M331310**
- Colour: **Black trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 46° 2700K - Silver trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **630lm**
- CCT: **2700K**
- Efficiency: **47%**
- Efficacy: **48.49lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M326260**
- Colour: **Silver trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 46° 2700K - White trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **630lm**
- CCT: **2700K**
- Efficiency: **47%**
- Efficacy: **48.49lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M326220**
- Colour: **White trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 46° 2700K - White trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **854lm**
- CCT: **2700K**
- Efficiency: **64%**
- Efficacy: **65.68lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M331320**
- Colour: **White trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 46° 2700K - White trim / White deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **986lm**
- CCT: **2700K**
- Efficiency: **74%**
- Efficacy: **75.81lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M325920**
- Colour: **White trim / White deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 46° 3000K - Black trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **659lm**
- CCT: **3000K**
- Efficiency: **47%**
- Efficacy: **50.68lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M252010**
- Colour: **Black trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 46° 3000K - Black trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **892lm**
- CCT: **3000K**
- Efficiency: **64%**
- Efficacy: **68.64lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M279010**
- Colour: **Black trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 46° 3000K - Silver trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **659lm**
- CCT: **3000K**
- Efficiency: **47%**
- Efficacy: **50.68lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M252060**
- Colour: **Silver trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 46° 3000K - White trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **659lm**
- CCT: **3000K**
- Efficiency: **47%**
- Efficacy: **50.68lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M252020**
- Colour: **White trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 46° 3000K - White trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **892lm**
- CCT: **3000K**
- Efficiency: **64%**
- Efficacy: **68.64lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M279020**
- Colour: **White trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 46° 3000K - White trim / White deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1030lm**
- CCT: **3000K**
- Efficiency: **74%**
- Efficacy: **79.23lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M251420**
- Colour: **White trim / White deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 23° 2700K - Black trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **834lm**
- CCT: **2700K**
- Efficiency: **63%**
- Efficacy: **64.15lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M326010**
- Colour: **Black trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 23° 2700K - Black trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1016lm**
- CCT: **2700K**
- Efficiency: **76%**
- Efficacy: **78.16lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M331110**
- Colour: **Black trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 23° 2700K - Silver trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **834lm**
- CCT: **2700K**
- Efficiency: **63%**
- Efficacy: **64.15lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M326060**
- Colour: **Silver trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 23° 2700K - White trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **834lm**
- CCT: **2700K**
- Efficiency: **63%**
- Efficacy: **64.15lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M326020**
- Colour: **White trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 23° 2700K - White trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1016lm**
- CCT: **2700K**
- Efficiency: **76%**
- Efficacy: **78.16lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M331120**
- Colour: **White trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 23° 2700K - White trim / White deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **994lm**
- CCT: **2700K**
- Efficiency: **75%**
- Efficacy: **76.42lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M325720**
- Colour: **White trim / White deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 23° 3000K - Black trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **872lm**
- CCT: **3000K**
- Efficiency: **63%**
- Efficacy: **67.04lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M251610**
- Colour: **Black trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 23° 3000K - Black trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1062lm**
- CCT: **3000K**
- Efficiency: **76%**
- Efficacy: **81.69lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M278610**
- Colour: **Black trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 23° 3000K - Silver trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **872lm**
- CCT: **3000K**
- Efficiency: **63%**
- Efficacy: **67.04lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M251660**
- Colour: **Silver trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 23° 3000K - White trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **872lm**
- CCT: **3000K**
- Efficiency: **63%**
- Efficacy: **67.04lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M251620**
- Colour: **White trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 23° 3000K - White trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1062lm**
- CCT: **3000K**
- Efficiency: **76%**
- Efficacy: **81.69lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M278620**
- Colour: **White trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500


NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 23° 3000K - White trim / White deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1038lm**
- CCT: **3000K**
- Efficiency: **75%**
- Efficacy: **79.87lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M251020**
- Colour: **White trim / White deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 28° 2700K - Black trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **851lm**
- CCT: **2700K**
- Efficiency: **64%**
- Efficacy: **65.48lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M326110**
- Colour: **Black trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500


NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 28° 2700K - Black trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **940lm**
- CCT: **2700K**
- Efficiency: **71%**
- Efficacy: **72.33lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M331210**
- Colour: **Black trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 28° 2700K - Silver trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **851lm**
- CCT: **2700K**
- Efficiency: **64%**
- Efficacy: **65.48lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M326160**
- Colour: **Silver trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 28° 2700K - White trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **851lm**
- CCT: **2700K**
- Efficiency: **64%**
- Efficacy: **65.48lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M326120**
- Colour: **White trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 28° 2700K - White trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **940lm**
- CCT: **2700K**
- Efficiency: **71%**
- Efficacy: **72.33lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M331220**
- Colour: **White trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 28° 2700K - White trim / White deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1007lm**
- CCT: **2700K**
- Efficiency: **76%**
- Efficacy: **77.45lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M325820**
- Colour: **White trim / White deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 28° 3000K - Black trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **890lm**
- CCT: **3000K**
- Efficiency: **64%**
- Efficacy: **68.43lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M251810**
- Colour: **Black trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 28° 3000K - Black trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **983lm**
- CCT: **3000K**
- Efficiency: **71%**
- Efficacy: **75.59lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M278810**
- Colour: **Black trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 28° 3000K - Silver trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **890lm**
- CCT: **3000K**
- Efficiency: **64%**
- Efficacy: **68.43lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M251860**
- Colour: **Silver trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 28° 3000K - White trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **890lm**
- CCT: **3000K**
- Efficiency: **64%**
- Efficacy: **68.43lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M251820**
- Colour: **White trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 28° 3000K - White trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **983lm**
- CCT: **3000K**
- Efficiency: **71%**
- Efficacy: **75.59lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M278820**
- Colour: **White trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Round - Trim - 28° 3000K - White trim / White deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1052lm**
- CCT: **3000K**
- Efficiency: **76%**
- Efficacy: **80.94lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M251220**
- Colour: **White trim / White deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Diameter: **80 mm**
- Cutout diameter: **69 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Rounded**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE

Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401