


Everything 80 - Square - Trim - 46° 2700k - Black trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **657lm**
- CCT: **2700K**
- Efficiency: **49%**
- Efficacy: **50.54lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M327410**
- Colour: **Black trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 46° 2700k - Black trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **880lm**
- CCT: **2700K**
- Efficiency: **66%**
- Efficacy: **67.73lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M330710**
- Colour: **Black trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 46° 2700k - Silver trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **657lm**
- CCT: **2700K**
- Efficiency: **49%**
- Efficacy: **50.54lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M327460**
- Colour: **Silver trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 46° 2700k - White trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **657lm**
- CCT: **2700K**
- Efficiency: **49%**
- Efficacy: **50.54lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M327420**
- Colour: **White trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 46° 2700k - White trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **880lm**
- CCT: **2700K**
- Efficiency: **66%**
- Efficacy: **67.73lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M330720**
- Colour: **White trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 46° 2700k - White trim / White deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **986lm**
- CCT: **2700K**
- Efficiency: **74%**
- Efficacy: **75.81lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M327120**
- Colour: **White trim / White deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 46° 3000k - Black trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **687lm**
- CCT: **3000K**
- Efficiency: **49%**
- Efficacy: **52.82lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M254410**
- Colour: **Black trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 46° 3000k - Black trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **920lm**
- CCT: **3000K**
- Efficiency: **66%**
- Efficacy: **70.78lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M274010**
- Colour: **Black trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 46° 3000k - Silver trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **687lm**
- CCT: **3000K**
- Efficiency: **49%**
- Efficacy: **52.82lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M254460**
- Colour: **Silver trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 46° 3000k - White trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **687lm**
- CCT: **3000K**
- Efficiency: **49%**
- Efficacy: **52.82lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M254420**
- Colour: **White trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 46° 3000k - White trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **920lm**
- CCT: **3000K**
- Efficiency: **66%**
- Efficacy: **70.78lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M274020**
- Colour: **White trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 46° 3000k - White trim / White deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1030lm**
- CCT: **3000K**
- Efficiency: **74%**
- Efficacy: **79.23lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M253820**
- Colour: **White trim / White deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 23° 2700k - Black trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **814lm**
- CCT: **2700K**
- Efficiency: **61%**
- Efficacy: **62.61lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M327210**
- Colour: **Black trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500


NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 23° 2700k - Black trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1037lm**
- CCT: **2700K**
- Efficiency: **78%**
- Efficacy: **79.80lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M330510**
- Colour: **Black trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 23° 2700k - Silver trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **814lm**
- CCT: **2700K**
- Efficiency: **61%**
- Efficacy: **62.61lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M327260**
- Colour: **Silver trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 23° 2700k - White trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **814lm**
- CCT: **2700K**
- Efficiency: **61%**
- Efficacy: **62.61lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M327220**
- Colour: **White trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 23° 2700k - White trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1037lm**
- CCT: **2700K**
- Efficiency: **78%**
- Efficacy: **79.80lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M330520**
- Colour: **White trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 23° 2700k - White trim / White deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **992lm**
- CCT: **2700K**
- Efficiency: **75%**
- Efficacy: **76.32lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M326920**
- Colour: **White trim / White deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 23° 3000k - Black trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **851lm**
- CCT: **3000K**
- Efficiency: **61%**
- Efficacy: **65.44lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M254010**
- Colour: **Black trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 23° 3000k - Black trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1084lm**
- CCT: **3000K**
- Efficiency: **78%**
- Efficacy: **83.40lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M273610**
- Colour: **Black trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 23° 3000k - Silver trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **851lm**
- CCT: **3000K**
- Efficiency: **61%**
- Efficacy: **65.44lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M254060**
- Colour: **Silver trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 23° 3000k - White trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **851lm**
- CCT: **3000K**
- Efficiency: **61%**
- Efficacy: **65.44lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M254020**
- Colour: **White trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 23° 3000k - White trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1084lm**
- CCT: **3000K**
- Efficiency: **78%**
- Efficacy: **83.40lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M273620**
- Colour: **White trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 23° 3000k - White trim / White deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1037lm**
- CCT: **3000K**
- Efficiency: **75%**
- Efficacy: **79.77lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M253420**
- Colour: **White trim / White deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 28° 2700k - Black trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **810lm**
- CCT: **2700K**
- Efficiency: **61%**
- Efficacy: **62.31lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M327310**
- Colour: **Black trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 28° 2700k - Black trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **975lm**
- CCT: **2700K**
- Efficiency: **73%**
- Efficacy: **74.99lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M330610**
- Colour: **Black trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 28° 2700k - Silver trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **810lm**
- CCT: **2700K**
- Efficiency: **61%**
- Efficacy: **62.31lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M327360**
- Colour: **Silver trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 28° 2700k - White trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **810lm**
- CCT: **2700K**
- Efficiency: **61%**
- Efficacy: **62.31lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M327320**
- Colour: **White trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 28° 2700k - White trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **975lm**
- CCT: **2700K**
- Efficiency: **73%**
- Efficacy: **74.99lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M330620**
- Colour: **White trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 28° 2700k - White trim / White deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1003lm**
- CCT: **2700K**
- Efficiency: **75%**
- Efficacy: **77.14lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M327020**
- Colour: **White trim / White deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **2700K**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 28° 3000k - Black trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **847lm**
- CCT: **3000K**
- Efficiency: **61%**
- Efficacy: **65.12lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M254210**
- Colour: **Black trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 28° 3000k - Black trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1019lm**
- CCT: **3000K**
- Efficiency: **73%**
- Efficacy: **78.37lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M273810**
- Colour: **Black trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 28° 3000k - Silver trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **847lm**
- CCT: **3000K**
- Efficiency: **61%**
- Efficacy: **65.12lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M254260**
- Colour: **Silver trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 28° 3000k - White trim / Black deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **847lm**
- CCT: **3000K**
- Efficiency: **61%**
- Efficacy: **65.12lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M254220**
- Colour: **White trim / Black deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 28° 3000k - White trim / Polished metal deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1019lm**
- CCT: **3000K**
- Efficiency: **73%**
- Efficacy: **78.37lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M273820**
- Colour: **White trim / Polished metal deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE


Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401

Everything 80 - Square - Trim - 28° 3000k - White trim / White deflector

Ernesto Gismondi



IP20/44 



LUMINAIRE

- Watt: **13W**
- Voltage: **220-240 V**
- Delivered lumen output: **1048lm**
- CCT: **3000K**
- Efficiency: **75%**
- Efficacy: **80.62lm/W**
- CRI: **90**

Notes

Driver 350mA SELV supplied separately.

DESCRIPTION

Everything is an innovative range of professional recessed light fittings created to deliver a high lighting performance, with an eye on energy saving and excellent visual comfort. A complete, flexible product range, extremely versatile in its many applications and able to meet challenging lighting performance criteria.

FEATURES

- Product Code: **M253620**
- Colour: **White trim / White deflector**
- Installation: **Recessed**
- Material: **aluminium**
- Series: **Architectural Indoor**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **80 mm**
- Width: **80 mm**
- Cutout Width: **67 mm**
- Cutout length: **67 mm**
- Recessed depth: **115 mm**
- Cutout shape: **Squared**
- Weight: **kg 0.24**
- Glow Wire Test: **850°**
- Hole in false ceiling: **Thickness 1mm - 25mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **13W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) 50000h**

Accessories

NO
IMAGE
AVAILABLE

DRIVER cc 15W 350mA 220-240 125 38 23 1max
Non dimmable M077500

NO
IMAGE
AVAILABLE

Driver 16/20/23/25/28/32W - 900mA - 220-240
156x52x26 (LxWxH) Dimmable DALI/PUSH M077401