


Hoy Spot SMD - 13° - 2700K - Undimmable - Black

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **2053lm**
- CCT: **2700K**
- Efficiency: **91%**
- Efficacy: **93.32lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM10004**
- Colour: **Black**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 13° - 2700K - Undimmable - White

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **2053lm**
- CCT: **2700K**
- Efficiency: **91%**
- Efficacy: **93.32lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM10001**
- Colour: **White**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 13° - 3000K - Undimmable - Black

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **2053lm**
- CCT: **3000K**
- Efficiency: **91%**
- Efficacy: **93.32lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM10104**
- Colour: **Black**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 13° - 3000K - Undimmable - White

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **2053lm**
- CCT: **3000K**
- Efficiency: **91%**
- Efficacy: **93.32lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM10101**
- Colour: **White**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 13° - 4000K - Undimmable - Black

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **2362lm**
- CCT: **4000K**
- Efficiency: **91%**
- Efficacy: **107.35lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM10204**
- Colour: **Black**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 13° - 4000K - Undimmable - White

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **2362lm**
- CCT: **4000K**
- Efficiency: **91%**
- Efficacy: **107.35lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM10201**
- Colour: **White**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 24° - 2700K - Undimmable - Black

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **1771lm**
- CCT: **2700K**
- Efficiency: **78%**
- Efficacy: **80.48lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM10604**
- Colour: **Black**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 24° - 2700K - Undimmable - White

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **1771lm**
- CCT: **2700K**
- Efficiency: **78%**
- Efficacy: **80.48lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM10601**
- Colour: **White**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 24° - 3000K - Undimmable - Black

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **1896lm**
- CCT: **3000K**
- Efficiency: **78%**
- Efficacy: **86.18lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM10704**
- Colour: **Black**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 24° - 3000K - Undimmable - White

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **1896lm**
- CCT: **3000K**
- Efficiency: **78%**
- Efficacy: **86.18lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM10701**
- Colour: **White**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 24° - 4000K - Undimmable - Black

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **2037lm**
- CCT: **4000K**
- Efficiency: **78%**
- Efficacy: **92.59lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM10804**
- Colour: **Black**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 24° - 4000K - Undimmable - White

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **2037lm**
- CCT: **4000K**
- Efficiency: **78%**
- Efficacy: **92.59lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM10801**
- Colour: **White**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 48° - 2700K - Undimmable - Black

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **1915lm**
- CCT: **2700K**
- Efficiency: **85%**
- Efficacy: **87.03lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM11204**
- Colour: **Black**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 48° - 2700K - Undimmable - White

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **1915lm**
- CCT: **2700K**
- Efficiency: **85%**
- Efficacy: **87.03lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM11201**
- Colour: **White**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 48° - 3000K - Undimmable - Black

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **1915lm**
- CCT: **3000K**
- Efficiency: **85%**
- Efficacy: **87.03lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM11304**
- Colour: **Black**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 48° - 3000K - Undimmable - White

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **1915lm**
- CCT: **3000K**
- Efficiency: **85%**
- Efficacy: **87.03lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM11301**
- Colour: **White**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 48° - 4000K - Undimmable - Black

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **2203lm**
- CCT: **4000K**
- Efficiency: **85%**
- Efficacy: **100.12lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM11404**
- Colour: **Black**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 48° - 4000K - Undimmable - White

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **2203lm**
- CCT: **4000K**
- Efficiency: **85%**
- Efficacy: **100.12lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM11401**
- Colour: **White**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**
- Inclination: **90°**
- Rotation: **3600 mm°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 68° - 2700K - Undimmable - Black

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **1796lm**
- CCT: **2700K**
- Efficiency: **79%**
- Efficacy: **81.63lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM11804**
- Colour: **Black**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 68° - 2700K - Undimmable - White

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **1796lm**
- CCT: **2700K**
- Efficiency: **79%**
- Efficacy: **81.63lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM11801**
- Colour: **White**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 68° - 3000K - Undimmable - Black

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **1923lm**
- CCT: **3000K**
- Efficiency: **79%**
- Efficacy: **87.40lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM11904**
- Colour: **Black**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 68° - 3000K - Undimmable - White

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **1923lm**
- CCT: **3000K**
- Efficiency: **79%**
- Efficacy: **87.40lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM11901**
- Colour: **White**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 68° - 4000K - Undimmable - Black

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **2066lm**
- CCT: **4000K**
- Efficiency: **79%**
- Efficacy: **93.91lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM12004**
- Colour: **Black**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**

Hoy Spot SMD - 68° - 4000K - Undimmable - White

Foster + Partners Industrial
Design



IP20   



LUMINAIRE

- Watt: **22W**
- Voltage: **220-240V**
- Delivered lumen output: **2066lm**
- CCT: **4000K**
- Efficiency: **79%**
- Efficacy: **93.91lm/W**
- CRI: **90**

Notes

220/240Vac 50/60Hz electronic ballast included

DESCRIPTION

Hoy is a system of adjustable spotlights with a basic shape, yet a rich performance. A simple cylinder protrudes from the surface with varying heights for the different versions (recessed, semi-recessed, SMD, track).

Its volume is divided to direct emission in space, the mobile part hosts to the source and the optical devices required to produce four different beam angles (13°, 24°, 48°, 68°).

FEATURES

- Product Code: **BM12001**
- Colour: **White**
- Installation: **CeilingProjector**
- Series: **Architectural Indoor**
- design by: **Foster + Partners Industrial Design**

DIMENSIONS

- Height: **188 mm**
- Diameter: **90 mm**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L70 (6K) 50000h**