KEPLER PETITE

Arihiro Miyake

The Kepler collection is made of painted extruded aluminium, whose continuous line is obtained through a three-dimensional manufacturing process developed by Nemo. Designed on the basis of the mathematical principle of the Möbius strip. Diffuser in opaque technopolymer.



DOWNLIGHT 2700K

LAMPING

Source	Linear LED
Total power	55W
Emission	diffused
Switching	dimmable, DALI push
Tension	110-240V
Color temperature	2700K
Luminous flux	1954lm
Typ CRI	85
IP class	20
Materials	aluminium + PC
Notes	adjustable cable length from 2,5m to 0,4m, white RAL 9003, black RAL 9005, TRIAC VERSION on request (+200€), 1-10V version on request (+120€), CASAMBI version on request (+225€)
Net lamp weight	1,3 kg


Codes	*Structure*
KES LWW 54	white
KES LNN 54	black
KES LOW 54	gold

PACKAGE

Package 01	Dimension: 50x50x22 cm / Gross weight: 3,1 kg

Certificazioni





DOWNLIGHT 3000K

LAMPING

Source	Linear LED
Total power	55W
Emission	diffused
Switching	dimmable, DALI push
Tension	110-240V
Color temperature	3000K
Luminous flux	1954lm
Typ CRI	85
IP class	20
Materials	aluminium + PC
Notes	adjustable cable length from 2,5m to 0,4m, white RAL 9003, black RAL 9005, TRIAC VERSION on request (+200€), 1-10V version on request (+120€), CASAMBI version on request (+225€)
Net lamp weight	1,3 kg

Codes	*Structure*
KES LWW 52	white
KES LNN 52	black
KES LOW 52	gold

PACKAGE

Package 01	Dimension: 50x50x22 cm / Gross weight: 3,1 kg

Certificazioni



