

Nuda Recessed Gray/white


Ernesto Gismondi



DESCRIPTION

Painted aluminium unit, polycarbonate diffuser satin finish impact-resistant, UV protection, aluminum specular reflector.

IP65   EAC 



LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240 V**
- Delivered lumen output: **316lm**
- CCT: **3000K**
- Efficiency: **43%**
- Efficacy: **39.54lm/W**
- CRI: **80**

FEATURES

- Product Code: **T083500**
- Colour: **Gray/white**
- Installation: **Recessed**
- Material: **Polycarbonate, painted aluminium**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **180 mm**
- Height: **235 mm**
- Depth: **55 mm**
- Cutout shape: **Rectangular**
- Impact Resistance: **IK06**
- Glow Wire Test: **650°**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**



Accessories

NO
IMAGE
AVAILABLE

NUDA PARETE
CASSAFORMA X
INCASSO T083400

Nuda Recessed Rust

Ernesto Gismondi



LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240 V**
- Delivered lumen output: **316lm**
- CCT: **3000K**
- Efficiency: **43%**
- Efficacy: **39.54lm/W**
- CRI: **80**

DESCRIPTION

Painted aluminium unit, polycarbonate diffuser satin finish impact-resistant, UV protection, aluminum specular reflector.

FEATURES

- Product Code: **T083510**
- Colour: **Rust**
- Installation: **Recessed**
- Material: **Polycarbonate, painted aluminium**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **180 mm**
- Height: **235 mm**
- Depth: **55 mm**
- Cutout shape: **Rectangular**
- Impact Resistance: **IK06**
- Glow Wire Test: **650°**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**

Accessories

NO
IMAGE
AVAILABLE

NUDA PARETE
CASSAFORMA X
INCASSO T083400

Nuda Recessed Anthracite gray


Ernesto Gismondi



DESCRIPTION

Painted aluminium unit, polycarbonate diffuser satin finish impact-resistant, UV protection, aluminum specular reflector.

IP65   EAC 



LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240 V**
- Delivered lumen output: **316lm**
- CCT: **3000K**
- Efficiency: **43%**
- Efficacy: **39.54lm/W**
- CRI: **80**

FEATURES

- Product Code: **T083520**
- Colour: **Anthracite gray**
- Installation: **Recessed**
- Material: **Polycarbonate, painted aluminium**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **180 mm**
- Height: **235 mm**
- Depth: **55 mm**
- Cutout shape: **Rectangular**
- Impact Resistance: **IK06**
- Glow Wire Test: **650°**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**

Accessories

NO
IMAGE
AVAILABLE

NUDA PARETE
CASSAFORMA X
INCASSO T083400