Silent Field 2.0 - Direct + Indirect -3000K - APP Compatible - White


Carlotta de Bevilacqua Laura Pessoni



DESCRIPTION

Suspension appliance with sound absorption properties: the material's characteristics and the appliance's geometry ensure a reduced reverberation time. The sound absorption effect is optimized for the frequencies of human voice. The varying densities of the material used for the lower panel promote the absorption of different frequencies. Both the upper and the lower surface of the appliance feature sound-absorbing properties. Appropriate positioning of the appliance in space is crucial to optimize sound absorption.





FEATURES

- Product Code: 1013020APP

- Colour: White

DIMENSIONS

- Installation: **Suspension**

- Series: Design Collection, Architectural Indoor

- Environment: Indoor

- Diameter: 1000 mm - Base Diameter: 300 mm

- design by: Carlotta de Bevilacqua, Laura Pessoni

LUMINAIRE

- Delivered lumen output: 5276lm

- CCT: 3000K - Efficiency: **75%**

- Efficacy: 70.35lm/W

- CRI: 90

- Watt: **75W**

- Dimmable Typology: **Push**

SOURCES INCLUDED

- Category: Led - Number: 1 - Watt: 37W

- Color temperature (K): 3000K

- Max Height from ceiling: 2000 mm

- Category: **Led** - Number: 1 - Watt: 35W

- Color temperature (K): 3000K

Notes

Dimmable: Push & APP



Accessories




Device for switching and controlling Artemide App products. Max N.3 inputs for external push buttons. Max 1m distance. Mains power supply required. To be installed inside flush mounting boxes or junction boxes. DV1080APP



Silent Field 2.0 - Direct + Indirect - 3000K - APP Compatible - Black


Carlotta de Bevilacqua Laura Pessoni



DESCRIPTION

Suspension appliance with sound absorption properties: the material's characteristics and the appliance's geometry ensure a reduced reverberation time. The sound absorption effect is optimized for the frequencies of human voice. The varying densities of the material used for the lower panel promote the absorption of different frequencies. Both the upper and the lower surface of the appliance feature sound-absorbing properties. Appropriate positioning of the appliance in space is crucial to optimize sound absorption.





FEATURES

- Product Code: **1013030APP**

- Colour: Black

DIMENSIONS

- Installation: **Suspension**

- Series: Design Collection, Architectural Indoor

- Environment: Indoor

Diameter: 1000 mmBase Diameter: 300 mm

- design by: Carlotta de Bevilacqua, Laura Pessoni

LUMINAIRE

- Watt: **75W**

- Delivered lumen output: **5276lm**

- CCT: **3000K**- Efficiency: **75%**

- Efficacy: 70.35lm/W

- CRI: 90

- Dimmable Typology: **Push**

SOURCES INCLUDED

Category: LedNumber: 1Watt: 37W

- Color temperature (K): **3000K**

- Max Height from ceiling: 2000 mm

Category: LedNumber: 1Watt: 35W

- Color temperature (K): 3000K

Notes

Dimmable: Push & APP



Accessories



Device for switching and controlling Artemide App products. Max N.3 inputs for external push buttons. Max 1m distance. Mains power supply required. To be installed inside flush mounting boxes or junction boxes. DV1080APP



Silent Field 2.0 - Direct + Indirect - 3000K - APP Compatible - Orange


Carlotta de Bevilacqua Laura Pessoni



DESCRIPTION

Suspension appliance with sound absorption properties: the material's characteristics and the appliance's geometry ensure a reduced reverberation time. The sound absorption effect is optimized for the frequencies of human voice. The varying densities of the material used for the lower panel promote the absorption of different frequencies. Both the upper and the lower surface of the appliance feature sound-absorbing properties. Appropriate positioning of the appliance in space is crucial to optimize sound absorption.





FEATURES

- Product Code: 1013040APP

- Colour: **Orange**

- Installation: **Suspension**

- Series: Design Collection, Architectural Indoor

- Environment: **Indoor**

Diameter: 1000 mmBase Diameter: 300 mm

- design by: Carlotta de Bevilacqua, Laura Pessoni

LUMINAIRE

- Watt: **75W**

- Delivered lumen output: 5276lm

- CCT: **3000K** - Efficiency: **75%**

- Efficacy: 70.35lm/W

- CRI: 90

- Dimmable Typology: **Push**

SOURCES INCLUDED

DIMENSIONS

- Category: **Led**- Number: **1**- Watt: **37W**

- Color temperature (K): **3000K**

- Max Height from ceiling: 2000 mm

Category: LedNumber: 1Watt: 35W

- Color temperature (K): 3000K

Notes

Dimmable: Push & APP



Accessories



Device for switching and controlling Artemide App products. Max N.3 inputs for external push buttons. Max 1m distance. Mains power supply required. To be installed inside flush mounting boxes or junction boxes. DV1080APP

