

FLOS

F6500000 Aluminium

Splügen Bräu

Designed by Achille and Pier Giacomo Castiglioni, 1961



Halogen - 70W

Suspension fixture providing direct lighting. Polished and protected with transparent paint, spun aluminum reflector. Steel ceiling fitting, vacuum-formed ABS rose with gloss white finish.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607022450
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGSA/S
Number of heads	1
Power (W)	70

Physical

Colour	Aluminium
Cord length (mm)	2200
Net weight (kg)	1.4
Package height (mm)	280
Package width (mm)	425
Package length (mm)	420
Package volume (m3)	0.05
IP internal	20



Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF

Photometric Files

[LDT / IES](#)  LDT


Technical Drawings

[2D](#)  ZIP

[3D](#)  ZIP



Schematic light drawing



Beam Angle: 28°

h(m)	E(lx)	D(m)
1	843	0.50
2	211	1.01
3	94	1.51
4	53	2.02
5	34	2.52

Luminous flux Luminaire
560 lm

Photometric

Lighting type	Direct
Light distribution	Symmetric

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No
Charging min time	No

Bulbs




NOT INCLUDED

RF32771

LED Lamp 11W Im E27 220-
240V 2700K A60

Spare Parts



- | | | |
|-----|---------------------------|-----------|
| 01. | Complete ceiling rose | RF6500109 |
| 02. | Electric wiring 2,5mt | RF04637 |
| 03. | Zapon-varnished reflector | RF00750 |
| 05. | Ring nut | RF06821 |

DOWNLOAD



RF6500109

Complete ceiling rose



RF04637

Electric wiring 2,5mt



RF00750

Zapon-varnisched reflector



RF06821

Ring nut