


Tolomeo Faretto LED - 2700K - without switch

Michele De Lucchi
Giancarlo Fassina



IP20   EAC 



LUMINAIRE

- Watt: **6W**
- Voltage: **220V-240V**
- Delivered lumen output: **642lm**
- CCT: **2700K**
- Efficiency: **73%**
- Efficacy: **107.01lm/W**
- CRI: **90**

DESCRIPTION

Wall support in polished aluminium; diffuser in matt anodised aluminium.

FEATURES

- Product Code: **A0446W50**
- Colour: **Aluminium**
- Installation: **Wall**
- Material: **Aluminium**
- Series: **Design Collection**
- design by: **Michele De Lucchi, Giancarlo Fassina**

DIMENSIONS

- Height: **230 mm**
- Depth: **250 mm**
- Glow Wire Test: **750°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **5,5W**
- Color temperature (K): **2700K**
- CRI: **90**

Tolomeo Faretto LED - 3000K - without switch

Michele De Lucchi
Giancarlo Fassina



IP20   EAC 



LUMINAIRE

- Watt: **6W**
- Voltage: **220V-240V**
- Delivered lumen output: **671lm**
- CCT: **3000K**
- Efficiency: **100%**
- Efficacy: **111.77lm/W**
- CRI: **90**

DESCRIPTION

Wall support in polished aluminium; diffuser in matt anodised aluminium.

FEATURES

- Product Code: **A044650**
- Colour: **Aluminium**
- Installation: **Wall**
- Material: **Aluminium**
- Series: **Design Collection**
- design by: **Michele De Lucchi, Giancarlo Fassina**

DIMENSIONS

- Height: **230 mm**
- Depth: **250 mm**
- Glow Wire Test: **750°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **5,5W**
- Color temperature (K): **3000K**
- CRI: **90**

Tolomeo Faretto LED - 2700K - with dimmable switch

Michele De Lucchi
Giancarlo Fassina



IP20   EAC 



LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240V**
- Delivered lumen output: **737lm**
- CCT: **2700K**
- Efficiency: **73%**
- Efficacy: **92.08lm/W**
- CRI: **90**
- Dimmer Typology: **Microswitch Dimmer**

Notes

LED - with switch dimmer.

DESCRIPTION

Wall support in polished aluminium; diffuser in matt anodised aluminium.

FEATURES

- Product Code: **A0447W50**
- Colour: **Aluminium**
- Installation: **Wall**
- Material: **Aluminium**
- Series: **Design Collection**
- design by: **Michele De Lucchi, Giancarlo Fassina**

DIMENSIONS

- Height: **230 mm**
- Depth: **250 mm**
- Glow Wire Test: **750°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **5,5W**
- Color temperature (K): **2700K**
- CRI: **90**

Tolomeo Faretto LED - 3000K - with dimmable switch

Michele De Lucchi
Giancarlo Fassina



IP20   EAC 



LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240V**
- Delivered lumen output: **761lm**
- CCT: **3000K**
- Efficiency: **100%**
- Efficacy: **95.10lm/W**
- CRI: **90**
- Dimmer Typology: **Microswitch Dimmer**

Notes

LED - with switch dimmer.

DESCRIPTION

Wall support in polished aluminium; diffuser in matt anodised aluminium.

FEATURES

- Product Code: **A044750**
- Colour: **Aluminium**
- Installation: **Wall**
- Material: **Aluminium**
- Series: **Design Collection**
- design by: **Michele De Lucchi, Giancarlo Fassina**

DIMENSIONS

- Height: **230 mm**
- Depth: **250 mm**
- Glow Wire Test: **750°**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **5,5W**
- Color temperature (K): **3000K**
- CRI: **90**