


Tolomeo Micro Faretto LED - 2700K - without switch

Michele De Lucchi
Giancarlo Fassina



IP20   EAC



LUMINAIRE

- Watt: **6W**
- Voltage: **220V-240V**
- Delivered lumen output: **620lm**
- CCT: **2700K**
- Efficiency: **71%**
- Efficacy: **103.41lm/W**
- CRI: **90**

DESCRIPTION

Wall support in polished aluminum, diffuser in matt anodised aluminum.

FEATURES

- Product Code: **A0435W00**
- Colour: **Aluminium**
- Installation: **Wall**
- Material: **Aluminium**
- Series: **Design Collection**
- design by: **Michele De Lucchi, Giancarlo Fassina**

DIMENSIONS

- Height: **200 mm**
- Depth: **200 mm**
- Glow Wire Test: **750°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **4,8W**
- Color temperature (K): **2700K**
- CRI: **90**

Tolomeo Micro Faretto LED - 2700K - with dimmable switch

Michele De Lucchi
Giancarlo Fassina



IP20   



LUMINAIRE

- Watt: **7W**
- Voltage: **100V-240V**
- Delivered lumen output: **620lm**
- CCT: **2700K**
- Efficiency: **71%**
- Efficacy: **88.63lm/W**
- CRI: **90**
- Dimmer Typology: **Microswitch Dimmer**

Notes

LED - with switch dimmer.

DESCRIPTION

Wall support in polished aluminium; diffuser in matt anodised aluminium.

FEATURES

- Product Code: **A0436W00**
- Colour: **Aluminium**
- Installation: **Wall**
- Material: **Aluminium**
- Series: **Design Collection**
- design by: **Michele De Lucchi, Giancarlo Fassina**

DIMENSIONS

- Length: **110 mm**
- Height: **200 mm**
- Depth: **200 mm**
- Glow Wire Test: **750°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **7W**
- Delivered lumen output: **676lm**
- Color temperature (K): **2700K**
- CRI: **90**
- Color Tolerance: **MacAdam 2SDCM**
- Efficacy: **99lm/W**
- Service Life: **50000-L90**

Tolomeo Micro Faretto LED - 3000K - without switch

Michele De Lucchi
Giancarlo Fassina



IP20   EAC



LUMINAIRE

- Watt: **6W**
- Voltage: **220V-240V**
- Delivered lumen output: **648lm**
- CCT: **3000K**
- Efficiency: **71%**
- Efficacy: **108.04lm/W**
- CRI: **90**

DESCRIPTION

Wall support in polished aluminum, diffuser in matt anodised aluminum.

FEATURES

- Product Code: **A043500**
- Colour: **Aluminium**
- Installation: **Wall**
- Material: **Aluminium**
- Series: **Design Collection**
- design by: **Michele De Lucchi, Giancarlo Fassina**

DIMENSIONS

- Height: **200 mm**
- Depth: **200 mm**
- Glow Wire Test: **750°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **4,8W**
- Color temperature (K): **3000K**
- CRI: **90**

Tolomeo Micro Faretto LED - 3000K - with dimmable switch

Michele De Lucchi
Giancarlo Fassina



IP20   



LUMINAIRE

- Watt: **7W**
- Voltage: **100V-240V**
- Delivered lumen output: **648lm**
- CCT: **3000K**
- Efficiency: **71%**
- Efficacy: **92.60lm/W**
- CRI: **90**
- Dimmer Typology: **Microswitch Dimmer**

Notes

LED - with switch dimmer.

DESCRIPTION

Wall support in polished aluminium; diffuser in matt anodised aluminium.

FEATURES

- Product Code: **A043600**
- Colour: **Aluminium**
- Installation: **Wall**
- Material: **Aluminium**
- Series: **Design Collection**
- design by: **Michele De Lucchi, Giancarlo Fassina**

DIMENSIONS

- Length: **110 mm**
- Height: **200 mm**
- Depth: **200 mm**
- Glow Wire Test: **750°**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **7W**
- Delivered lumen output: **676lm**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 2SDCM**
- Efficacy: **99lm/W**
- Service Life: **50000-L90**