TRU PENDANT HORIZONTAL

Roberto Paoli

Sculptural, sleek, compact: two light panels compose a parallelepiped, leaving space for an empty slot, but concealing the light source through an optical effect. Made of aluminium, Tru provides indirect and diffuse light through two internal LED strips and an LED element on top. Equipped with single switch and single dimmer on board.



2700K DOWN+DOWN



LAMPING

Source	linear LED
Total power	2x33W
Emission	diffused
Switching	single switch, dimmable on board
Tension	110-240V
Color temperature	2700K
Luminous flux	2 x 1765lm
Typ CRI	85
IP class	20
Materials	aluminium + PC
Notes	metal cable length 3m, electrical cable length 5m, white RAL 9003, black RAL 9005
Net lamp weight	4,5 kg

Codes	*Structure*
TRU LWW 57	white
TRU LNN 57	black
TRU LDD 57	titan grey

PACKAGE

Package 01	Dimension: 22x16x188 cm / Net weight: 2 kg / Gross weight: 6,5 kg

Certificazioni

3000K DOWN+DOWN



LAMPING

Source	linear LED
Total power	2x33W
Emission	diffused
Switching	single switch, dimmable on board
Tension	110-240V
Color temperature	3000K
Luminous flux	2 x 1765lm
Typ CRI	85
IP class	20
Materials	aluminium + PC
Notes	metal cable length 3m, electrical cable length 5m, white RAL 9003, black RAL 9005
Net lamp weight	4,5 kg

Codes	*Structure*
TRU LWW 5C	white
TRU LNN 5C	black
TRU LDD 5C	titan grey

PACKAGE

Package 01	Dimension: 22x16x188 cm / Net weight: 2 kg / Gross weight: 6,5 kg

Certificazioni

2700K UP+DOWN



LAMPING

Source	linear LED
Total power	2x33W
Emission	diffused
Switching	single switch, dimmable on board
Tension	110-240V
Color temperature	2700K
Luminous flux	2 x 1765lm
Typ CRI	85
IP class	20
Materials	aluminium + PC
Notes	metal cable length 3m, electrical cable length 5m, white RAL 9003, black RAL 9005
Net lamp weight	4,5 kg

Codes	*Structure*
TRU LWW 55	white
TRU LNN 55	black
TRU LDD 55	titan grey

PACKAGE

Package 01	Dimension: 22x16x188 cm / Net weight: 2 kg / Gross weight: 6,5 kg

Certificazioni

3000K UP+DOWN



LAMPING

Source	linear LED
Total power	2x33W
Emission	diffused
Switching	single switch, dimmable on board
Tension	110-240V
Color temperature	3000K
Luminous flux	2 x 1765lm
Typ CRI	85
IP class	20
Materials	aluminium + PC
Notes	metal cable length 3m, electrical cable length 5m, white RAL 9003, black RAL 9005
Net lamp weight	4,5 kg

Codes	*Structure*
TRU LWW 5A	white
TRU LNN 5A	black
TRU LDD 5A	titan grey

PACKAGE

Package 01	Dimension: 22x16x188 cm / Net weight: 2 kg / Gross weight: 6,5 kg

Certificazioni