

Wan Suspension

Designed by Johanna Grawunder, 2006



Halogen - 40W

Suspension lamp providing direct lighting. Aluminum body, available in shiny white, shiny black and shiny green finishes. Low glare shield. Provided by two different ring due to fix the safety tempered glass, in black and green.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

| | |
|-------------------|---------------------|
| EAN | 8059607024195 |
| Mounting | Suspension |
| Environments | Indoor dry location |
| Light Source Type | Bulb |
| Lamp category | Halogen |
| Lamp holders | G9 |
| Ilcos | HSG |
| Number of heads | 1 |
| Power (W) | 40 |

Physical

| | |
|---------------------|-------|
| Colour | White |
| Cord length (mm) | 2800 |
| Net weight (kg) | 0.85 |
| Package height (mm) | 125 |
| Package width (mm) | 135 |
| Package length (mm) | 250 |
| IP internal | 20 |



Download

| | |
|-----------------------|-------|
| Mounting instructions | ↓ PDF |
| Spare Parts | ↓ PDF |

Photometric Files


| | |
|-----------|-------|
| LDT / IES | ↓ LDT |
|-----------|-------|

Technical Drawings

| | |
|-----|-------|
| 2D | ↓ ZIP |
| 3D | ↓ ZIP |
| Bim | ↓ ZIP |



Schematic light drawing



Photometric

| | |
|--------------------|-----------|
| Lighting type | Direct |
| Light distribution | Symmetric |

Electrical

| | |
|----------------------|--|
| Insulation class | II |
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 220-250 |
| LED voltage Vf (Vdc) | null |
| Dimmable | Yes |
| Dimming interface | Remote Dimmable (Dimmer Not Included) |
| Batteries inside | No |
| Charging min time | No |

Bulbs




NOT INCLUDED

RF18863

Halogen Lamp G9 33W 2700K

HALOPIN Dimmable

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | Black rose assembly | RF9560130 |
| 02. | G9 lamp holder with inner ring and 2,5mt of eletrical cable | RF9560200 |
| 03. | Wan glass assembly | RF9550200 |
| 04. | External ring | RF13990 |
| 04. | External ring | RF14546 |
| 05. | Reflector / ring assembly | RF9550130 |

DOWNLOAD



RF9560130
Black rose assembly



RF9560200
G9 lamp holder with inner ring
and 2,5mt of eletrical cable



RF9550200
Wan glass assembly



RF13990
External ring



RF14546
External ring



RF9550130
Reflector / ring assembly