

ZIRKOL TRACK UGR

New addition to the collection, Zirkol Linear Track UGR features a special optical unit that allows direct emission with a reduced glare index (UGR < 19). Suitable for installation in offices and workplaces where high visual comfort is required. Aluminium structure available in the finishes white and black and with LED colour temperatures of 3000K and 4000K. Zirkol Linear Track UGR is compatible with 3C/0-10V tracks. Driver on board.



3000K | 0,84M

LAMPING

Source	Linear LED
Total power	26W
Switching	ON/OFF
Tension	220/240V
Color temperature	3000K
Typ CRI	>90
Notes	driver included RAL 9005 black RAL 9016 white



Codes

BZRL54084I42NBO
BZRL54084I42NNE

Structure

white
black

Certificazioni



3000K | 1,15M

LAMPING

Source	Linear LED
Total power	35W
Switching	ON/OFF
Tension	220/240V
Color temperature	3000K
Typ CRI	>90
Notes	driver included RAL 9005 black RAL 9016 white



Codes

BZRL54115I42NBO
BZRL54115I42NNE

Structure

white
black

Certificazioni



4000K | 0,84M

LAMPING

Source	Linear LED
Total power	26W
Switching	ON/OFF
Tension	220/240V
Color temperature	4000K
Typ CRI	>90
Notes	driver included RAL 9005 black RAL 9016 white



Codes

BZRL54084I42WBO
BZRL54084I42WNE

Structure

white
black

Certificazioni



4000K | 1,15M

LAMPING

Source	Linear LED
Total power	35W
Switching	ON/OFF
Tension	220/240V
Color temperature	4000K
Typ CRI	>90
Notes	driver included RAL 9005 black RAL 9016 white

Codes

BZRL54115I42WBO
BZRL54115I42WNE

Structure

white
black

Certificazioni

